

62

SWAN RIVER NURSERY

PATCHOGUE, L. I., N. Y.

TRADE PRICE LIST

LIBRARY
RECEIVED

★ APR 2 1957

U. S. Department of Agriculture



1957

SPECIAL OFFER

CORNUS FLORIDA ALBA

White flowering dogwood. Thrifty
young stock, prices bare root.

| | EACH | 10 RATE |
|-------------|--------|---------|
| 4 to 5 feet | \$2.00 | \$1.75 |
| 5 to 6 feet | \$3.00 | \$2.50 |

SPECIAL BLOCK

An Invitation . . .

to SWAN RIVER NURSERY

We extend a special invitation to you to visit our nursery. We believe you will like our merchandise, which is carefully grown.

We are located on the Montauk Highway, one mile east of Patchogue Village. Our nursery is on both sides of the highway.



SWAN RIVER NURSERY

615 EAST MAIN STREET—PATCHOGUE, N. Y.

Telephone: G R o v e r 5 - 1 2 0 0

HUMPHREY R. AVERY

OWNER



Our Garden Store

We carry a complete line of tools, insecticides, spray materials, fertilizers and seeds.

CONDITIONS OF SALE

Prices in this list cancel all previous lists and quotations and are subject to change without notice.

Terms

Cash except by special arrangement. Interest at 6% will be charged on all accounts overdue. Orders for C.O.D. shipments must be accompanied by a 25% deposit.

Goods in Transit

Our responsibility ends when shipment has been delivered in good condition to a transportation company. All claims is a matter between the consignee and the carrier.

Ball and Burlap

There will be an extra charge to ball and burlap items not marked B&B in this catalog.

Platforms

This is a part of our equipment and will be charged for until returned.

Delivery

We own and operate a fleet of trucks and will deliver when requested at a nominal charge.

Special Selection

If a special selection of plants is required they will be charged for at the respective value regardless of the prices listed.

EVERGREENS AND CONIFERS

| | 1 to 4 | 5 to 24 |
|-------------------------------|---------|---------|
| | Each | Each |
| ABIES concolor (White Fir) | | |
| 3 to 4 ft. | \$ 8.00 | \$ 7.50 |
| 4 to 5 ft. | 10.00 | 9.50 |
| 5 to 6 ft. | 14.00 | |
| 6 to 7 ft. | 18.00 | |
| 7 to 8 ft. | 25.00 | |
| A. homolepsis (Nikko Fir) | | |
| 3 to 4 ft. | \$10.00 | \$ 8.00 |
| 4 to 5 ft. | 12.00 | 10.00 |
| 5 to 6 ft. | 16.00 | 15.00 |
| 6 to 7 ft. | 20.00 | 18.00 |
| 7 to 8 ft. | 27.00 | |
| 8 to 10 ft. | 36.00 | |
| A. nobilis glauca (Noble Fir) | | |
| 4 to 5 ft. | \$ 9.50 | |
| 5 to 6 ft. | 12.00 | |
| 6 to 7 ft. | 15.00 | |
| 7 to 8 ft. | 18.00 | |
| 8 to 10 ft. | 24.00 | |
| A. nordmaniana (Nordman Fir) | | |
| 3 to 4 ft. | \$10.00 | \$ 8.00 |
| 4 to 5 ft. | 12.00 | 10.00 |
| 5 to 6 ft. | 15.00 | |
| 6 to 8 ft. | 20.00 | |
| 8 to 10 ft. | 30.00 | |
| A. pectinata | | |
| 2 to 2½ ft. | \$ 6.00 | \$ 5.50 |
| 2½ to 3 ft. | 8.00 | 7.50 |
| 4 to 5 ft. | 12.00 | 11.00 |
| 5 to 6 ft. | 16.00 | |
| 6 to 7 ft. | 20.00 | |
| 7 to 8 ft. | 25.00 | |

1 to 4

5 to 24

Each

Each

ABIES veitchi (Veitch Fir)

| | | | | | | |
|----|----|----|-----|-------|---------|--|
| 5 | to | 6 | ft. | | \$16.00 | |
| 6 | to | 7 | ft. | | 20.00 | |
| 7 | to | 8 | ft. | | 25.00 | |
| 8 | to | 10 | ft. | | 35.00 | |
| 10 | to | 12 | ft. | | 47.00 | |

CEDRUS atlantica glauca (Blue Atlas Cedar)

| | | | | | | |
|---|----|---|-----|-------|---------|--|
| 4 | to | 5 | ft. | | \$13.00 | |
| 5 | to | 6 | ft. | | 16.00 | |
| 6 | to | 7 | ft. | | 20.00 | |

C. Libani (Lebanon Cedar)

| | | | | | | |
|---|----|---|-----|-------|---------|--|
| 3 | to | 4 | ft. | | \$ 7.50 | |
| 4 | to | 5 | ft. | | 9.50 | |
| 5 | to | 6 | ft. | | 12.00 | |

CHAMAECYPARIS lawsonia alumni

(Scarab Cypress)

| | | | | | | |
|----|----|----|-----|---------------|---------|---------|
| 2 | to | 2½ | ft. | | \$ 4.70 | \$ 4.00 |
| 2½ | to | 3 | ft. | | 6.20 | 5.70 |
| 8 | to | 10 | ft. | ..in ground.. | 18.00 | |
| 10 | to | 12 | ft. | ..in ground.. | 25.00 | |
| 12 | to | 14 | ft. | ..in ground.. | 35.00 | |
| 14 | to | 16 | ft. | ..in ground.. | 40.00 | |

C. obtusa crippsi (Cripps Golden Cypress)

| | | | | | | |
|----|----|---|-----|-------|---------|--|
| 2½ | to | 3 | ft. | | \$ 6.00 | |
| 3 | to | 4 | ft. | | 7.50 | |
| 4 | to | 5 | ft. | | 10.00 | |
| 5 | to | 6 | ft. | | 12.00 | |

1 to 4
Each

5 to 24
Each

CHAMAECYPARIS obtusa gracillis compacta
(Slender Hinoki Cypress)

| | | | | |
|----|----|--------|---------------------|---------|
| 2 | to | 2½ ft. |\$ 6.50 | \$ 6.00 |
| 2½ | to | 3 ft. |8.50 | 8.00 |
| 3 | to | 3½ ft. |10.00 | 9.50 |
| 3½ | to | 4 ft. |12.00 | 10.00 |
| 4 | to | 5 ft. |16.00 | 14.00 |
| 5 | to | 6 ft. |20.00 | 18.00 |
| 6 | to | 7 ft. |24.00 | 22.00 |
| 7 | to | 8 ft. | ..in ground.. 24.00 | |
| 8 | to | 10 ft. | ..in ground.. 30.00 | |
| 10 | to | 12 ft. | ..in ground.. 35.00 | |

C. obtusa gracillis nana (Dwarf Hinoki Cypress)

| | | | | |
|----|----|--------|--------------|--|
| 12 | to | 15 in. |\$ 4.00 | |
| 15 | to | 18 in. |6.00 | |
| 18 | to | 24 in. |8.00 | |
| 2 | to | 2½ ft. |9.00 | |

C. pisifera filifera (Thread Retinospora)

| | | | | |
|----|----|--------|---------------------|--|
| 2 | to | 2½ ft. |\$ 3.00 | |
| 2½ | to | 3 ft. |3.50 | |
| 4 | to | 5 ft. |7.50 | |
| 12 | to | 14 ft. | ..in ground.. 45.00 | |

C. pisifera plumosa (Plume Retinospora)

| | | | | |
|----|----|--------|--------------|---------|
| 18 | to | 24 in. |\$ 2.50 | \$ 2.20 |
| 2 | to | 2½ ft. |3.00 | 2.50 |
| 2½ | to | 3 ft. |3.50 | 3.00 |
| 3 | to | 3½ ft. |4.00 | |
| 3½ | to | 4 ft. |5.50 | |

C. pis. plumosa aurea (Golden Plume Cypress)

| | | | | |
|----|----|--------|--------------|---------|
| 18 | to | 24 in. |\$ 2.50 | \$ 2.20 |
| 2 | to | 2½ ft. |3.00 | 2.50 |
| 2½ | to | 3 ft. |3.50 | 3.00 |
| 3 | to | 3½ ft. |4.00 | |

| | 1 to 4 | 5 to 24 |
|--|--------|---------|
| | Each | Each |

CHAMAECYPARIS pis. plumosa lutescens
(Sulphur Plume Cypress)

| | | |
|-------------------|---------|---------|
| 18 to 24 in. | \$ 3.00 | \$ 2.70 |
| 2 to 2½ ft. | 4.00 | 3.50 |

C. pis. squarrosa veitchi (Moss Retinospora)

| | | |
|------------------|---------|---------|
| 2 to 2½ ft. | \$ 2.70 | \$ 2.50 |
| 2½ to 3 ft. | 3.50 | 3.00 |
| 3 to 4 ft. | 4.50 | 4.00 |

C. triomphe De Boskoop

(Triomphe De Boskoop Cypress)

| | | |
|-------------------|---------|--|
| 5 to 6 ft. | \$10.00 | |
| 6 to 8 ft. | 20.00 | |
| 8 to 10 ft. | 30.00 | |
| 10 to 12 ft. | 40.00 | |

CRYPTOMERIA lobi compacta

(Japanese Cedar)

| | | |
|-----------------|---------|--|
| 2 to 3 ft. | \$ 4.00 | |
| 3 to 4 ft. | 5.00 | |
| 4 to 5 ft. | 7.50 | |

JUNIPERUS chinensis (Chinese Juniper)

| | | |
|----------------------------|---------|---------|
| 4 to 5 ft. | \$ 7.00 | \$ 6.50 |
| 5 to 6 ft. | 9.00 | 8.00 |
| 6 to 7 ft. | 12.00 | |
| 7 to 8 ft. | 18.00 | |
| 8 to 10 ft. | 24.00 | |
| 10 to 12 ft. ..in ground.. | 20.00 | |
| 12 to 14 ft. ..in ground.. | 25.00 | |
| 14 to 16 ft. ..in ground.. | 30.00 | |

J. chin. columnaris (Columnar Juniper)

| | | |
|----------------------------|---------|---------|
| 3 to 4 ft. | \$ 5.00 | \$ 4.50 |
| 4 to 5 ft. | 6.00 | 5.50 |
| 5 to 6 ft. | 8.00 | 7.50 |
| 6 to 7 ft. | 12.00 | 10.00 |
| 7 to 8 ft. | 18.00 | 15.00 |
| 8 to 10 ft. | 24.00 | 20.00 |
| 10 to 12 ft. | 28.00 | 25.00 |
| 12 to 14 ft. | 32.00 | 30.00 |
| 14 to 16 ft. ..in ground.. | 30.00 | 28.00 |
| 20 to 22 ft. ..in ground.. | 70.00 | 65.00 |
| 22 to 24 ft. ..in ground.. | 80.00 | 75.00 |

| | 1 to 4 | 5 to 24 |
|--|--------|---------|
| | Each | Each |

JUNIPERUS chin. pfitzeriana (Pfitzer Juniper)

| | | |
|-------------------|---------|---------|
| 18 to 24 in. | \$ 3.50 | \$ 3.20 |
| 2 to 2½ ft. | 4.50 | 4.20 |
| 2½ to 3 ft. | 6.00 | 5.50 |
| 3 to 3½ ft. | 7.00 | |

J. chin. pfitz. compacta (Compact Pfitz. Juniper)

| | | |
|-------------------|---------|---------|
| 18 to 24 in. | \$ 4.00 | \$ 3.50 |
| 2 to 2½ ft. | 5.00 | 4.50 |

J. chin. pfitz. Hetzi glauca (Hetz Blue Juniper)

| | | |
|-------------------|---------|---------|
| 15 to 18 in. | \$ 2.70 | \$ 2.50 |
| 18 to 24 in. | 3.50 | 3.20 |

J. communis hibernica (Irish Juniper)

| | |
|------------------|---------|
| 2 to 2½ ft. | \$ 2.20 |
| 2½ to 3 ft. | 2.50 |
| 3 to 3½ ft. | 3.00 |

J. communis oblonga (Oblong Chinese Juniper)

| | | |
|-------------------|---------|-------|
| 6 to 7 ft. | \$22.00 | |
| 7 to 8 ft. | 26.00 | |
| 8 to 10 ft. | 36.00 | 33.00 |
| 10 to 12 ft. | 48.00 | 44.00 |

J. com. suecica nana (Dwarf Swedish Juniper)

| | |
|-------------------|---------|
| 18 to 24 in. | \$ 2.50 |
| 2 to 2½ ft. | 3.00 |
| 2½ to 3 ft. | 3.50 |

J. excelsa stricta (Spiny Greek Cedar)

| | | |
|-------------------|---------|---------|
| 15 to 18 in. | \$ 2.20 | \$ 1.70 |
| 18 to 24 in. | 2.50 | 2.00 |
| 2 to 2½ ft. | 3.50 | 3.00 |
| 2½ to 3 ft. | 3.70 | 3.50 |

J. fortunei (Fortune Juniper)

| | |
|----------------------------|---------|
| 10 to 12 ft. ..in ground.. | \$50.00 |
| 12 to 14 ft. ..in ground.. | 60.00 |
| 14 to 16 ft. ..in ground.. | 80.00 |
| 16 to 20 ft. ..in ground.. | 120.00 |

| | | | 1 to 4 Each | 5 to 24 Each |
|----------------------------------------------------|----|----------------------|----------------|-----------------|
| JUNIPERUS horz. Bar Harbor | | | | |
| 12 | to | 15 in. | \$ 2.50 | |
| 15 | to | 18 in. | 3.00 | |
| 18 | to | 24 in. | 4.00 | |
| J. horz. plumosa | | | | |
| 15 | to | 18 in. | \$ 2.50 | |
| 18 | to | 24 in. | 3.50 | |
| 2 | to | 2½ ft. | 4.50 | |
| J. virginiana (Red Cedar) | | | | |
| 5 | to | 6 ft. | \$ 8.00 | |
| 6 | to | 7 ft. | 10.00 | |
| 7 | to | 8 ft. | 13.00 | 12.00 |
| 8 | to | 10 ft. | 18.00 | 16.00 |
| 10 | to | 12 ft. | 22.00 | 20.00 |
| 12 | to | 14 ft. | 28.00 | 26.00 |
| 14 | to | 16 ft. | 38.00 | 36.00 |
| 16 | to | 18 ft. | 50.00 | |
| J. virg. cannarti (Cannart Cedar) | | | | |
| 4 | to | 5 ft. | \$ 7.00 | |
| 5 | to | 6 ft. | 8.50 | |
| 6 | to | 7 ft. | 10.50 | |
| 7 | to | 8 ft. | 14.00 | |
| 8 | to | 10 ft. | 18.00 | |
| J. virg. elegantissima lee (Gold-tip Cedar) | | | | |
| 3 | to | 4 ft. | \$ 5.50 | |
| 4 | to | 5 ft. | 7.00 | |
| 5 | to | 6 ft. | 9.00 | |
| 6 | to | 8 ft. | 14.00 | |
| 8 | to | 10 ft. | 18.00 | |
| 10 | to | 12 ft. | 25.00 | |
| J. virg. glauca (Silver Red Cedar) | | | | |
| 3 | to | 3½ ft. | \$ 4.00 | |
| 3½ | to | 4 ft. | 5.00 | |
| 4 | to | 4 ft. | 6.50 | 6.00 |
| 5 | to | 6 ft. | 8.00 | 7.50 |
| 6 | to | 7 ft. | 13.00 | |
| 7 | to | 8 ft. | 18.00 | |
| 8 | to | 10 ft. | 25.00 | |
| J. virg. keteleeri (Keteleer Cedar) | | | | |
| 3 | to | 4 ft. | \$ 5.20 | \$ 5.00 |
| 4 | to | 5 ft. | 7.00 | 6.50 |
| 5 | to | 6 ft. | 9.00 | 8.50 |
| 6 | to | 7 ft. | 12.00 | |
| 7 | to | 8 ft. | 15.00 | |
| 8 | to | 10 ft. | 18.00 | |
| 10 | to | 12 ft. ..in ground.. | 25.00 | |

| | 1 to 4 | 5 to 24 |
|---------------------------------------------------|---------|---------|
| | Each | Each |
| PICEA alcockiana (Alcock's Spruce) | | |
| 5 to 6 ft. | \$15.00 | |
| 6 to 8 ft. | 20.00 | |
| P. canadensis (White Spruce) | | |
| 2 to 2½ ft. | \$ 3.50 | |
| 2½ to 3 ft. | 4.50 | |
| 3 to 4 ft. | 6.00 | |
| P. engelmani (Engelmann Spruce) | | |
| 2½ to 3 ft. | \$ 5.00 | |
| 3 to 4 ft. | 10.00 | |
| 4 to 5 ft. | 12.00 | |
| 5 to 6 ft. | 15.00 | |
| 6 to 8 ft. | 20.00 | |
| P. excelsa (Norway Spruce) | | |
| 2½ to 3 ft. | \$ 3.50 | \$ 3.00 |
| 3 to 4 ft. | 5.00 | 4.50 |
| 4 to 5 ft. | 6.00 | 5.50 |
| 5 to 6 ft. | 8.00 | 7.50 |
| 6 to 7 ft. | 10.00 | |
| 7 to 8 ft. | 12.00 | |
| P. excelsa aurea (Golden Norway Spruce) | | |
| 4 to 5 ft. | \$12.00 | |
| 5 to 6 ft. | 15.00 | |
| 6 to 7 ft. | 20.00 | |
| 7 to 8 ft. | 25.00 | |
| 8 to 10 ft. | 30.00 | |
| P. ex. conica glauca (Dwarf Albert Spruce) | | |
| 18 to 24 in. | \$ 6.00 | |
| 2 to 2½ ft. | 8.00 | |
| 6 to 7 ft. ..in ground.. | 40.00 | |
| 7 to 8 ft. ..in ground.. | 50.00 | |
| 8 to 10 ft. ..in ground.. | 60.00 | |
| P. ex. gregoryana (Gregory Spruce) | | |
| 18 to 24 in. | \$ 6.00 | |
| 2 to 2½ ft. | 10.00 | |
| 2½ to 3 ft. | 12.00 | |
| 3 to 3½ ft. | 15.00 | |
| 3½ to 4 ft. | 18.00 | |
| P. ex. maxwelli (Maxwell's Norway Spruce) | | |
| 15 to 18 in. | \$ 5.00 | \$ 4.50 |
| 18 to 24 in. | 6.50 | 6.00 |
| 2½ to 3 ft. | 12.00 | |
| 3 to 3½ ft. | 15.00 | |
| 3½ to 4 ft. | 18.00 | |
| 2 to 2½ ft. | 10.00 | |

1 to 4

5 to 24

Each

Each

PICEA ex. pendula (Weeping Norway Spruce)

| | | | | | | |
|----|----|----|-----|--------------|---------|-----------|
| 6 | to | 7 | ft. | | \$25.00 | |
| 7 | to | 8 | ft. | | 30.00 | |
| 8 | to | 10 | ft. | .Specimens.. | 75.00 | in ground |
| 10 | to | 12 | ft. | .Specimens.. | 85.00 | in ground |
| 14 | to | 16 | ft. | .Specimens.. | 100.00 | in ground |

P. ex. pygmea (Pygmy Norway Spruce)

| | | | | | | |
|----|----|----|-----|-------|---------|-------|
| 2½ | to | 3 | ft. | | \$12.00 | |
| 3 | to | 4 | ft. | | 18.00 | |
| 4 | to | 5 | ft. | | 25.00 | |
| 5 | to | 6 | ft. | | 40.00 | |
| 6 | to | 7 | ft. | | 55.00 | |
| 7 | to | 8 | ft. | | 70.00 | |
| 8 | to | 10 | ft. | | 90.00 | 85.00 |
| 10 | to | 12 | ft. | | 110.00 | |
| 12 | to | 14 | ft. | | 130.00 | |

P. ex. remonti (Remont Spruce)

| | | | | | | |
|----|----|----|-----|-------|---------|--|
| 2 | to | 2½ | ft. | | \$ 8.00 | |
| 2½ | to | 3 | ft. | | 12.00 | |
| 3 | to | 3½ | ft. | | 14.00 | |
| 3½ | to | 4 | ft. | | 18.00 | |
| 4 | to | 5 | ft. | | 25.00 | |
| 5 | to | 6 | ft. | | 40.00 | |
| 6 | to | 7 | ft. | | 55.00 | |
| 7 | to | 8 | ft. | | 70.00 | |

P. orientalis (Oriental Spruce)

| | | | | | | |
|----|----|----|-----|-------|---------|--|
| 2½ | to | 3 | ft. | | \$ 9.00 | |
| 3 | to | 4 | ft. | | 12.00 | |
| 4 | to | 5 | ft. | | 15.00 | |
| 5 | to | 6 | ft. | | 18.00 | |
| 6 | to | 7 | ft. | | 24.00 | |
| 7 | to | 8 | ft. | | 30.00 | |
| 8 | to | 10 | ft. | | 40.00 | |

1 to 4 5 to 24
Each Each

PICEA polita (Tigertail Spruce)

| | | | | | |
|----|----|----|-------------------|---------|---------|
| 3 | to | 4 | ft. | \$10.00 | \$ 9.00 |
| 4 | to | 5 | ft. | 14.00 | 13.00 |
| 5 | to | 6 | ft. | 18.00 | 17.00 |
| 6 | to | 8 | ft. | 24.00 | |
| 8 | to | 10 | ft. | 36.00 | |
| 14 | to | 16 | ft. ..in ground.. | 75.00 | |
| 16 | to | 18 | ft. ..in ground.. | 90.00 | |
| 18 | to | 20 | ft. ..in ground.. | 110.00 | |

P. pungens glauca (Colorado Blue Spruce)

| | | | | | |
|----|----|----|----------|---------|--|
| 18 | to | 24 | in. | \$ 4.50 | |
| 2 | to | 2½ | ft. | 6.00 | |
| 2½ | to | 3 | ft. | 7.50 | |

P. pungens kosteri (Koster's Blue Spruce)

| | | | | | |
|----|----|----|----------|---------|--|
| 18 | to | 24 | in. | \$ 8.00 | |
| 2 | to | 2½ | ft. | 12.00 | |
| 2½ | to | 3 | ft. | 14.00 | |
| 3 | to | 3½ | ft. | 16.00 | |
| 3½ | to | 4 | ft. | 20.00 | |
| 4 | to | 4½ | ft. | 24.00 | |
| 4½ | to | 5 | ft. | 28.00 | |

P. pungens moerheimi (Moerheim Blue Spruce)

| | | | | | |
|----|----|----|----------|---------|--|
| 2 | to | 2½ | ft. | \$12.00 | |
| 2½ | to | 3 | ft. | 14.00 | |
| 3 | to | 3½ | ft. | 16.00 | |
| 3½ | to | 4 | ft. | 20.00 | |

PINUS cembra (Swiss Stone Pine)

| | | | | | |
|----|----|----|----------|---------|--|
| 2½ | to | 3 | ft. | \$10.00 | |
| 3 | to | 3½ | ft. | 12.00 | |
| 3½ | to | 4 | ft. | 13.00 | |
| 4 | to | 4½ | ft. | 14.00 | |
| 4½ | to | 5 | ft. | 16.00 | |
| 5 | to | 6 | ft. | 22.00 | |
| 6 | to | 7 | ft. | 30.00 | |
| 7 | to | 8 | ft. | 38.00 | |

| | | | 1 to 4 Each | 5 to 24 Each |
|------------------------------------------|----|--------|----------------|-----------------|
| PINUS montana mugho (Mugho Pine) | | | | |
| 15 | to | 18 in. | \$ 3.50 | |
| 18 | to | 24 in. | 4.50 | |
| 2 | to | 2½ ft. | 6.00 | |
| 4 | to | 5 ft. | 20.00 | |
| 5 | to | 6 ft. | 30.00 | |
| 6 | to | 8 ft. | 40.00 | |
| P. nigra (Austrian Pine) | | | | |
| 2½ | to | 3 ft. | \$ 5.50 | |
| 3 | to | 3½ ft. | 7.00 | |
| 3½ | to | 4 ft. | 10.00 | 9.00 |
| 4 | to | 5 ft. | 13.00 | 12.00 |
| 5 | to | 6 ft. | 15.00 | |
| P. peuce (Balkan Pine) | | | | |
| 4 | to | 5 ft. | \$15.00 | \$14.00 |
| 5 | to | 6 ft. | 18.00 | 17.00 |
| 6 | to | 7 ft. | 21.00 | |
| 8 | to | 10 ft. | 27.00 | |
| P. resinosa (Red Pine) | | | | |
| 3 | to | 4 ft. | \$ 5.50 | \$ 5.00 |
| 4 | to | 5 ft. | 6.50 | 6.00 |
| 5 | to | 6 ft. | 10.00 | 8.00 |
| P. strobus (White Pine) | | | | |
| 3 | to | 4 ft. | \$ 6.00 | \$ 5.00 |
| 4 | to | 5 ft. | 7.50 | 6.00 |
| 5 | to | 6 ft. | 10.00 | 8.00 |
| 6 | to | 7 ft. | 12.00 | |
| 7 | to | 8 ft. | 14.00 | |
| 8 | to | 10 ft. | 20.00 | |
| P. tanyosho (Japanese Table Pine) | | | | |
| 8 | to | 10 ft. | \$75.00 | |
| 10 | to | 12 ft. | 100.00 | |

1 to 4 **5 to 24**
Each **Each**

PINUS thunbergi (Japanese Black Pine)

| | | | | |
|---------|-----|-------|---------|------|
| 2½ to 3 | ft. | | \$ 5.50 | |
| 3 to 3½ | ft. | | 7.00 | |
| 3½ to 4 | ft. | | 10.00 | 9.00 |
| 4 to 5 | ft. | | 13.00 | |

PSEUDOTSUGA douglasii (Douglas For)

| | | | | |
|----------|-----|-------|---------|---------|
| 2 to 3 | ft. | | \$ 4.50 | \$ 4.00 |
| 3 to 4 | ft. | | 6.00 | 5.00 |
| 4 to 5 | ft. | | 7.00 | 6.50 |
| 5 to 6 | ft. | | 10.00 | 9.00 |
| 6 to 8 | ft. | | 16.00 | 14.00 |
| 8 to 10 | ft. | | 20.00 | |
| 10 to 12 | ft. | | 24.00 | |

SCIADOPITYS verticillata (Umbrella Pine)

| | | | | |
|----------|-----|---------------|---------|--|
| 6 to 8 | ft. | | \$25.00 | |
| 8 to 10 | ft. | | 40.00 | |
| 10 to 12 | ft. | ..in ground.. | 60.00 | |
| 12 to 14 | ft. | ..in ground.. | 80.00 | |
| 14 to 16 | ft. | ..in ground.. | 100.00 | |
| 16 to 18 | ft. | ..in ground.. | 120.00 | |
| 18 to 20 | ft. | ..in ground.. | 140.00 | |

TAXUS bac. davastoni variegata
(Yel. Dovaston Yew)

| | | | | |
|---------|-----|-------|---------|---------|
| 2½ to 3 | ft. | | \$10.00 | \$ 9.00 |
| 3 to 3½ | ft. | | 15.00 | 14.00 |
| 3½ to 4 | ft. | | 20.00 | 18.00 |
| 4 to 5 | ft. | | 30.00 | 28.00 |
| 5 to 6 | ft. | | 40.00 | |

T. bac. elegantissima (Variegated English Yew)

| | | | | |
|---------|-----|-------|---------|---------|
| 2 to 2½ | ft. | | \$ 8.00 | \$ 7.50 |
| 2½ to 3 | ft. | | 10.00 | 9.00 |
| 3½ to 4 | ft. | | 20.00 | 14.00 |
| 4 to 5 | ft. | | 30.00 | 18.00 |
| 5 to 6 | ft. | | 40.00 | |

| | 1 to 4 | 5 to 24 |
|--|--------|---------|
| | Each | Each |

TAXUS bac. hibernica fastigiata (Irish Yew)

| | | | |
|---------|-----|-------|---------|
| 2½ to 3 | ft. | | \$10.00 |
| 3 to 3½ | ft. | | 12.00 |
| 3½ to 4 | ft. | | 14.00 |
| 4 to 5 | ft. | | 18.00 |
| 5 to 6 | ft. | | 22.00 |

T. bac. repandens (Spreading English Yew)

| | | | |
|----------|-----|---------------|---------|
| 15 to 18 | in. | | \$ 4.00 |
| 18 to 24 | in. | | 5.50 |
| 2 to 2½ | ft. | | 7.00 |
| 4 to 5 | ft. | ..in ground.. | 20.00 |
| 5 to 6 | ft. | ..in ground.. | 30.00 |
| 6 to 7 | ft. | ..in ground.. | 35.00 |
| 7 to 8 | ft. | ..in ground.. | 45.00 |

T. bac. washingtoni (Washington Yew)

| | | | | |
|----------|-----|-------|---------|-------|
| 15 to 18 | in. | | \$ 5.00 | |
| 18 to 24 | in. | | 6.00 | 5.50 |
| 2 to 2½ | ft. | | 7.50 | |
| 2½ to 3 | ft. | | 10.00 | 9.00 |
| 3 to 3½ | ft. | | 15.00 | 13.50 |
| 3½ to 4 | ft. | | 20.00 | 18.00 |
| 4 to 5 | ft. | | 25.00 | |
| 5 to 6 | ft. | | 40.00 | |
| 6 to 7 | ft. | | 50.00 | |
| 7 to 8 | ft. | | 60.00 | |

T. canadensis (Canadian Yew)

| | | | |
|----------|-----|-------|---------|
| 18 to 24 | in. | | \$ 5.00 |
| 2 to 2½ | ft. | | 6.00 |
| 2½ to 3 | ft. | | 8.00 |
| 3 to 3½ | ft. | | 10.00 |

T. cuspidata capitata (Upright Japanese Yew)

| | 1 to 4 | 5 to 24 | 25 up |
|----------|--------|---------|-----------------------------|
| 18 to 24 | in. | | \$ 4.00 \$ 3.70 \$ 3.50 |
| 2 to 2½ | ft. | | 5.00 4.70 4.50 |
| 2½ to 3 | ft. | | 6.50 6.00 5.70 |
| 3 to 3½ | ft. | | 7.50 6.50 6.00 |
| 4 to 4½ | ft. | | 12.00 10.00 9.00 |
| 4½ to 5 | ft. | | 15.00 14.00 13.00 |
| 5 to 5½ | ft. | | 17.00 16.00 14.00 |
| 5½ to 6 | ft. | | 20.00 |

(Continued on next page)

1 to 4 5 to 24 25 up

TAXUS cuspidata capitata (continued)

| | | | | | | |
|----|----|----|-----|-------|---------|-------|
| 6 | to | 7 | ft. | | \$27.00 | 24.50 |
| 7 | to | 8 | ft. | | 35.00 | 30.00 |
| 8 | to | 9 | ft. | | 40.00 | |
| 9 | to | 10 | ft. | | 50.00 | 47.50 |
| 10 | to | 11 | ft. | | 60.00 | 57.50 |
| 11 | to | 12 | ft. | | 70.00 | 67.50 |
| 12 | to | 14 | ft. | | 90.00 | 87.50 |

T. cusp. intermedia (Spreading Japanese Yew)

| | | | | | | | |
|----|----|----|-----|-------|---------|---------|---------|
| 18 | to | 24 | in. | | \$ 4.50 | \$ 4.20 | \$ 4.00 |
| 2 | to | 2½ | ft. | | 6.00 | 5.50 | 5.20 |
| 2½ | to | 3 | ft. | | 8.50 | 8.00 | |
| 3 | to | 3½ | ft. | | 12.00 | | |
| 3½ | to | 4 | ft. | | 14.00 | | |
| 4 | to | 4½ | ft. | | 18.00 | | |
| 4½ | to | 5 | ft. | | 20.00 | | |
| 5 | to | 6 | ft. | | 30.00 | | |
| 6 | to | 7 | ft. | | 50.00 | | |
| 7 | to | 8 | ft. | | 65.00 | | |
| 8 | to | 10 | ft. | | 85.00 | | |
| 10 | to | 12 | ft. | | 95.00 | | |
| 12 | to | 14 | ft. | | 110.00 | | |

T. cusp. brevifolia nana

(Dwarf Japanese Yew)

| | | | | | | | |
|----|----|----|-----|-------|---------|---------|------|
| 15 | to | 18 | in. | | \$ 4.00 | \$ 3.70 | |
| 18 | to | 24 | in. | | 5.50 | 5.00 | 4.70 |
| 2 | to | 2½ | ft. | | 7.50 | 7.00 | |
| 2½ | to | 3 | ft. | | 10.00 | | |
| 3 | to | 3½ | ft. | | 13.00 | | |
| 3½ | to | 4 | ft. | | 18.00 | | |
| 4 | to | 4½ | ft. | | 24.00 | | |
| 4½ | to | 5 | ft. | | 34.00 | | |
| 5 | to | 6 | ft. | | 50.00 | | |
| 6 | to | 7 | ft. | | 60.00 | | |
| 7 | to | 8 | ft. | | 70.00 | | |
| 8 | to | 10 | ft. | | 90.00 | | |
| 10 | to | 12 | ft. | | 120.00 | | |
| 12 | to | 14 | ft. | | 150.00 | | |

T. cusp. pyramidalis ovienda

| | | | | | | |
|---|----|----|-----|-------|---------|-------|
| 4 | to | 5 | ft. | | \$25.00 | |
| 5 | to | 6 | ft. | | 30.00 | 27.00 |
| 6 | to | 7 | ft. | | 40.00 | 37.00 |
| 7 | to | 8 | ft. | | 50.00 | |
| 8 | to | 10 | ft. | | 75.00 | |

| | | | 1 to 4 | 5 to 24 | 25 up |
|---------------------------------------------|-------|------------------|---------|---------|---------|
| | | | Each | Each | Each |
| TAXUS media hatfieldi (Hatfield Yew) | | | | | |
| 18 | to 24 | in. | \$ 4.50 | \$ 4.00 | \$ 3.70 |
| 2 | to 2½ | ft. | 5.00 | 4.70 | |
| 2½ | to 3 | ft. | 7.00 | 6.50 | |
| 3 | to 3½ | ft. | 9.00 | 8.50 | |
| 3½ | to 4 | ft. | 13.00 | 12.00 | |
| 4 | to 5 | ft. | 17.00 | | |
| 8 | to 10 | ft. .in ground.. | 60.00 | 57.00 | 55.00 |
| 10 | to 12 | ft. .in ground.. | 70.00 | 65.00 | 60.00 |

T. media hicksi (Hicks Japanese Yew)

| | | | | | |
|----|-------|------------------|---------|---------|------|
| 18 | to 24 | in. | \$ 4.00 | \$ 3.50 | |
| 2 | to 2½ | ft. | 5.00 | 4.50 | 4.20 |
| 2½ | to 3 | ft. | 6.50 | 6.00 | |
| 3 | to 3½ | ft. | 8.50 | 7.50 | |
| 3½ | to 4 | ft. | 9.50 | 8.50 | |
| 4 | to 4½ | ft. | 15.00 | 14.00 | |
| 4½ | to 5 | ft. | 18.00 | 17.00 | |
| 5 | to 6 | ft. | 25.00 | 23.00 | |
| 6 | to 7 | ft. | 30.00 | 29.00 | |
| 7 | to 8 | ft. | 40.00 | 35.00 | |
| 8 | to 10 | ft. .in ground.. | 50.00 | 45.00 | |
| 10 | to 12 | ft. .in ground.. | 70.00 | | |

T. media (Kelsey's Yew)

| | | | | | |
|----|-------|----------|---------|---------|--|
| 2 | to 2½ | ft. | \$ 6.00 | \$ 5.70 | |
| 2½ | to 3 | ft. | 7.00 | 6.70 | |
| 3 | to 3½ | ft. | 8.00 | 7.50 | |
| 3½ | to 4 | ft. | 10.00 | | |

T. media Swan River (Swan River Yew)

| | | | | | |
|----|-------|----------|---------|---------|---------|
| 15 | to 18 | in. | \$ 3.50 | \$ 3.20 | \$ 3.00 |
| 18 | to 24 | in. | 4.00 | 3.70 | 3.50 |
| 2 | to 2½ | ft. | 6.00 | | |

T. thayeri (Thayer's Yew)

| | | | | | |
|----|-------|----------|---------|---------|--|
| 2½ | to 3 | ft. | \$ 6.00 | \$ 5.50 | |
| 3 | to 3½ | ft. | 7.00 | 6.00 | |
| 3½ | to 4 | ft. | 9.00 | 8.50 | |
| 4 | to 4½ | ft. | 14.00 | 13.00 | |
| 4½ | to 5 | ft. | 18.00 | 17.00 | |
| 5 | to 6 | ft. | 22.00 | | |
| 6 | to 7 | ft. | 28.00 | | |

1 to 4 5 to 24 25 up
Each Each Each

THUYA occidentalis (American Arborvitae)

| | | | | |
|---------|-----|-------|---------|---------|
| 2½ to 3 | ft. | | \$ 3.00 | \$ 2.50 |
| 3 to 4 | ft. | | 3.50 | 3.20 |
| 4 to 5 | ft. | | 4.50 | 4.00 |
| 5 to 6 | ft. | | 7.00 | 6.50 |
| 6 to 7 | ft. | | 8.00 | |
| 7 to 8 | ft. | | 10.00 | |
| 8 to 9 | ft. | | 15.00 | |
| 9 to 10 | ft. | | 18.00 | |

T. occ. compacta (Parson's Arboritae)

| | | | | |
|----------|-----|-------|---------|---------|
| 15 to 18 | in. | | \$ 2.00 | \$ 1.80 |
| 18 to 24 | in. | | 2.50 | 2.20 |

T. occ. elegantissima (Gold-tipped Arborvitae)

| | | | | |
|----------|-----|--------------|---------|-------|
| 2 to 2½ | ft. | | \$ 2.50 | |
| 2½ to 3 | ft. | | 3.20 | 3.00 |
| 3 to 4 | ft. | | 4.50 | 4.00 |
| 4 to 5 | ft. | | 5.50 | 5.00 |
| 5 to 6 | ft. | | 7.00 | 6.50 |
| 6 to 7 | ft. | | 9.00 | 8.50 |
| 7 to 8 | ft. | | 12.00 | 11.00 |
| 8 to 10 | ft. | | 15.00 | |
| 10 to 12 | ft. | .in ground.. | 24.00 | |
| 12 to 14 | ft. | .in ground.. | 45.00 | |
| 14 to 16 | ft. | .in ground.. | 60.00 | |
| 16 to 18 | ft. | .in ground.. | 75.00 | |
| 18 to 20 | ft. | .in ground.. | 90.00 | |

T. occ. globosa (Globe Arborvotae)

| | | | | |
|----------|-----|-------|---------|---------|
| 15 to 18 | in. | | \$ 2.20 | \$ 1.80 |
| 18 to 24 | in. | | 2.50 | 2.20 |

T. occ. hoveyi (Honeyi Arborvitae)

| | | | | |
|----------|-----|-------|---------|---------|
| 15 to 18 | in. | | \$ 2.20 | \$ 1.80 |
| 18 to 24 | in. | | 2.50 | 2.20 |

T. occ. pumila (Little Gem Arborvitae)

| | | | | |
|----------|-----|-------|---------|---------|
| 12 to 15 | in. | | \$ 2.00 | \$ 1.80 |
| 15 to 18 | in. | | 2.50 | 2.20 |

| | | | | 1 to 4 Each | 5 to 24 Each | 25 up Each |
|-----------------------------------------------------|----|----|----------|----------------|-----------------|---------------|
| THUYA occ. lutea (George Peabody Arborvitae) | | | | | | |
| 3 | to | 4 | ft. | \$ 5.00 | \$ 4.50 | |
| 4 | to | 5 | ft. | 6.00 | 5.50 | |
| 5 | to | 6 | ft. | 7.50 | 7.00 | |
| 6 | to | 7 | ft. | 9.00 | | |
| 7 | to | 8 | ft. | 11.00 | 10.00 | |
| 8 | to | 10 | ft. | 17.00 | 16.00 | |
| 10 | to | 12 | ft. | 22.00 | 20.00 | |
| 12 | to | 14 | ft. | 28.00 | 26.00 | |
| 14 | to | 16 | ft. | 38.00 | | |
| 16 | to | 18 | ft. | 50.00 | | |

| | | | | | | |
|-------------------------------------------------|----|----|----------|---------|---------|---------|
| T. occ. nigra (Dark American Arborvitae) | | | | | | |
| 2 | to | 2½ | ft. | \$ 2.50 | \$ 2.20 | \$ 2.00 |
| 2½ | to | 3 | ft. | 3.20 | 3.00 | 2.70 |
| 3 | to | 4 | ft. | 4.00 | 3.50 | 3.20 |
| 4 | to | 5 | ft. | 5.00 | 4.70 | 4.50 |
| 5 | to | 6 | ft. | 7.00 | 6.50 | |
| 6 | to | 7 | ft. | 9.00 | 8.00 | |
| 7 | to | 8 | ft. | 11.00 | | |
| 8 | to | 9 | ft. | 15.00 | | |
| 9 | to | 10 | ft. | 18.00 | | |

| | | | | | | |
|-----------------------------------------------------------|----|----|------------------|---------|---------|--|
| T. occ. plicata spiralis (Douglas Pyr. Arborvitae) | | | | | | |
| 4 | to | 5 | ft. | \$ 6.20 | \$ 5.70 | |
| 5 | to | 6 | ft. | 7.50 | 7.00 | |
| 6 | to | 7 | ft. | 8.50 | 8.00 | |
| 7 | to | 8 | ft. | 10.00 | 9.00 | |
| 12 | to | 14 | ft. .in ground.. | 22.00 | 20.00 | |
| 14 | to | 16 | ft. .in ground.. | 26.00 | 24.00 | |
| 16 | to | 18 | ft. .in ground.. | 32.00 | | |

| | | | | | | |
|---------------------------------------------------|----|----|------------------|---------|---------|---------|
| T. occ. pyramidalis (Pyramidal Arborvitae) | | | | | | |
| 2½ | to | 3 | ft. | \$ 3.00 | \$ 2.70 | \$ 2.50 |
| 3 | to | 4 | ft. | 3.70 | 3.50 | 3.20 |
| 4 | to | 5 | ft. | 4.70 | 4.50 | 4.00 |
| 5 | to | 6 | ft. | 6.20 | 5.70 | |
| 6 | to | 7 | ft. | 7.50 | 7.00 | |
| 12 | to | 14 | ft. .in ground.. | 20.00 | | |
| 14 | to | 16 | ft. .in ground.. | 24.00 | | |

1 to 4
Each

5 to 24
Each

THUYA occ. rosenthali (Rosenthal Arborvitae)

| | | | | |
|----------|-----|-------|---------|---------|
| 2½ to 3 | ft. | | \$ 4.00 | \$ 3.50 |
| 3 to 4 | ft. | | 5.00 | 4.50 |
| 4 to 5 | ft. | | 6.50 | 6.00 |
| 5 to 6 | ft. | | 8.00 | 7.50 |
| 6 to 7 | ft. | | 12.00 | |
| 12 to 14 | ft. | | 26.00 | 25.00 |

T. occ. vervaeneana (Vervaene Arborvitae)

| | | | | |
|----------|-----|---------------|---------|-------------|
| 4 to 5 | ft. | | \$ 5.00 | \$ 4.70 |
| 5 to 6 | ft. | | 7.00 | 6.50 |
| 8 to 10 | ft. | ..in ground.. | 25.00 | heavy 22.50 |
| 10 to 12 | ft. | ..in ground.. | 40.00 | heavy 38.00 |
| 12 to 14 | ft. | ..in ground.. | 55.00 | heavy 52.50 |
| 14 to 16 | ft. | ..in ground.. | 70.00 | heavy |

T. occ. warreana (Siberian Arborvitae)

| | | | | |
|----------|-----|-------|---------|---------|
| 18 to 24 | in. | | \$ 2.50 | \$ 2.00 |
| 2 to 2½ | tt. | | 3.00 | 2.50 |
| 2½ to 3 | ft. | | 3.50 | 3.00 |

T. occ. woodwardi (Woodward Arborvitae)

| | | | | |
|----------|-----|-------|---------|---------|
| 15 to 18 | in. | | \$ 2.50 | \$ 2.20 |
|----------|-----|-------|---------|---------|

T. orientalis aurea nana
(Berkman's Golden Arborvitae)

| | | | | |
|----------|-----|-------|---------|---------|
| 15 to 18 | in. | | \$ 2.20 | \$ 2.00 |
| 18 to 24 | in. | | 2.70 | 2.50 |
| 2 to 2½ | ft. | | 3.50 | 3.20 |
| 2½ to 3 | ft. | | 4.20 | 3.70 |
| 3 to 4 | ft. | | 7.50 | 7.00 |
| 4 to 5 | ft. | | 15.00 | 14.00 |
| 5 to 6 | ft. | | 20.00 | 18.00 |
| 6 to 7 | ft. | | 30.00 | |

T. orient. aurea conspicua (Goldspire Arborvitae)

| | | | | |
|----------|-----|-------|---------|--|
| 6 to 7 | ft. | | \$14.00 | |
| 7 to 8 | ft. | | 18.00 | |
| 8 to 10 | ft. | | 20.00 | |
| 10 to 12 | ft. | | 35.00 | |

| | 1 to 4 | 5 to 24 |
|--|---------------|----------------|
| | Each | Each |

THUYA orientalis elegantissima
(Yellow Column Arborvitae)

| | | | | | |
|---|----|----|-----|-------|---------|
| 5 | to | 6 | ft. | | \$ 7.00 |
| 6 | to | 7 | ft. | | 10.00 |
| 7 | to | 8 | ft. | | 14.00 |
| 8 | to | 10 | ft. | | 18.00 |

T. plicata lobbi atrovirens (Giant Arborvitae)

| | | | | | | |
|----|----|----|-----|---------------|---------|---------|
| 18 | to | 20 | ft. | ..in ground.. | \$80.00 | \$78.00 |
|----|----|----|-----|---------------|---------|---------|

TSUGA canadensis (Canadian Hemlock)

| | | | | | | |
|----|----|----|-----|-------|---------|---------|
| 18 | to | 24 | in. | | \$ 3.20 | \$ 2.70 |
| 2 | to | 2½ | ft. | | 3.70 | 3.20 |
| 2½ | to | 3 | ft. | | 4.70 | 4.20 |
| 3 | to | 3½ | ft. | | 5.50 | 5.00 |
| 3½ | to | 4 | ft. | | 7.00 | 6.50 |
| 4 | to | 4½ | ft. | | 9.00 | 8.50 |
| 4½ | to | 5 | ft. | | 12.00 | |
| 5 | to | 6 | ft. | | 15.00 | |
| 6 | to | 7 | ft. | | 18.00 | |
| 7 | to | 8 | ft. | | 20.00 | |
| 22 | to | 24 | ft. | | 105.00 | |

T. can. pendula (Sargent's Weeping Hemlock)

| | | | | | |
|----|----|----|-----|-------|---------|
| 2 | to | 2½ | ft. | | \$10.00 |
| 2½ | to | 3 | ft. | | 12.00 |

T. caroliniana (Carolina Hemlock)

| | | | | | |
|----|----|----|-----|-------|---------|
| 2 | to | 2½ | ft. | | \$ 6.00 |
| 2½ | to | 3 | ft. | | 7.00 |
| 3 | to | 4 | ft. | | 8.00 |
| 4 | to | 5 | ft. | | 10.00 |
| 5 | to | 6 | ft. | | 15.00 |
| 6 | to | 7 | ft. | | 20.00 |

T. diversifolia (Japanese Hemlock)

| | | | | | |
|----|----|----|-----|-------|---------|
| 2 | to | 2½ | ft. | | \$ 7.00 |
| 2½ | to | 3 | ft. | | 9.00 |
| 3 | to | 3½ | ft. | | 12.00 |
| 3½ | to | 4 | ft. | | 15.00 |
| 4 | to | 4½ | ft. | | 20.00 |

EVERGREEN SHRUBS

AZALEA amoena (Purple Red)

3 to 4 ft.\$20.00

A. hinodegeri (Bright Red)

8 to 10 in.\$ 2.20
 10 to 12 in. 2.40
 12 to 15 in. 3.00
 15 to 18 in. 4.00

A. macrantha (Red Salmon)

12 to 15 in.\$ 2.70
 15 to 18 in. 3.50

A. Vuykiono (B&B)

A. 15 to 18 in.\$ 4.00
 B. 18 to 24 in. 5.00
 C. 2 to 2½ ft. 6.00

Varieties as follows:

Beethoven, deep orchid, ruffled(B-C)
Favorite, clear pink(B-C)
Indica Alba, white(A)
John Strauss, deep pink(B-C)
Franz Schubert, deep pink(B-C)

BERBERIS ilicifolia (Broadleaf Barberry) (B&B)

4 to 5 ft.\$ 6.00 \$ 5.50
 5 to 6 ft. 7.00 6.50

B. Julianae (Winter Barberry) (B&B)

18 to 24 in.\$ 3.50
 2 to 2½ ft. 4.50
 2½ to 3 ft. 6.00

BUXUS semp. suffruticosa (True Dwarf Box)

9 to 12 in.\$ 1.75

COTONEASTER horiz. (Rock Cotoneaster) (B&B)

2 to 2½ ft.\$ 4.50

C. adpressa praecox (Prostrate Cotoneaster) (B&B)

12 to 18 in.pots....\$ 2.70
 18 to 24 in. 3.50

EUONYMUS Patens (Spreading Euonymus)

15 to 18 in.\$ 2.25 \$ 2.00
 18 to 24 in. 2.75 2.50

E. radicans variegata (Variegated Wintercreeper)

9 to 12 in.\$.70 \$.60

| | | | 1 to 4 | 5 to 24 |
|-----------------------------------------------------------|-------|----------|---------|---------|
| | | | Each | Each |
| ILEX aquifolium pyramidalis (English Pyr. Holly) | | | | |
| 15 | to 18 | in. | \$ 3.00 | \$ 2.70 |
| 18 | to 24 | in. | 3.50 | 3.20 |
| 2½ | to 3 | ft. | 6.00 | 5.70 |
| I. crenata (Japanese Holly) | | | | |
| 18 | to 24 | in. | \$ 4.00 | |
| 2 | to 2½ | ft. | 5.00 | 4.50 |
| 2½ | to 3 | ft. | 6.00 | |
| 3 | to 3½ | ft. | 8.00 | |
| 3½ | to 4 | ft. | 9.00 | |
| 4 | to 5 | ft. | 12.00 | |
| 5 | to 6 | ft. | 18.00 | |
| 6 | to 7 | ft. | 25.00 | |
| 7 | to 8 | ft. | 35.00 | |
| I. crenata microphylla (Littleleaf Japanese Holly) | | | | |
| 18 | to 24 | in. | \$ 4.50 | \$ 4.20 |
| 2 | to 2½ | ft. | 6.00 | 5.70 |
| 2½ | to 3 | ft. | 7.50 | |
| I. crenata rotundifolia (Roundleaf Japanese Holly) | | | | |
| Container grown (1 gallon) .. | | | \$ 2.20 | |
| 18 | to 24 | in. | \$ 4.50 | \$ 4.20 |
| 2 | to 2½ | ft. | 6.00 | 5.70 |
| I. convexa bullata (Boxleaf Japanese Holly) | | | | |
| 12 | to 15 | in. | \$ 2.70 | |
| 15 | to 18 | in. | 3.50 | 3.00 |
| 18 | to 24 | in. | 5.00 | 4.50 |
| 2 | to 2½ | ft. | 6.00 | |
| I. cornuta burfordi | | | | |
| Container grown (1 gallon) .. | | | \$ 2.20 | |
| 12 | to 18 | in. | 3.70 | |
| 18 | to 24 | in. | 5.20 | |
| I. glabra (Inkberry) | | | | |
| 18 | to 24 | ft. | \$ 3.20 | \$ 2.70 |
| 2 | to 2½ | ft. | 4.00 | 3.50 |
| 2½ | to 3 | ft. | 5.00 | 4.50 |
| 3 | to 3½ | ft. | 6.00 | |
| 3½ | to 4 | ft. | 7.50 | |
| 4 | to 5 | ft. | 10.50 | |
| I. latifolia (Japanese Tree Holly) | | | | |
| 2½ | to 3 | ft. | \$ 5.50 | \$ 5.20 |
| 3 | to 3½ | ft. | 7.00 | 6.50 |
| 3½ | to 4 | ft. | 9.00 | 8.50 |
| 4 | to 5 | ft. | 12.00 | 11.50 |
| 5 | to 6 | ft. | 18.00 | 17.00 |
| 6 | to 7 | ft. | 25.00 | |
| 7 | to 8 | ft. | 30.00 | |
| 8 | to 10 | ft. | 36.00 | |

| | | | 1 to 4 Each | 5 to 24 Each |
|-----------------------------------------------------------------------|----|--------|------------------------|-------------------------|
| ILEX opaca (American Holly) | | | | |
| 12 | to | 15 in. | \$ 2.50 | |
| 2 | to | 2½ ft. | 4.50 | |
| 2½ | to | 3 ft. | 5.50 | |
| 3 | to | 4 ft. | 7.00 | |
| 4 | to | 5 ft. | 10.00 | |
| 5 | to | 6 ft. | 14.00 | |
| I. opaca femina (Chinese Holly) | | | | |
| 2½ | to | 3 ft. | \$ 5.50 | |
| 3 | to | 3½ ft. | 6.00 | |
| 3½ | to | 4 ft. | 8.00 | |
| 4 | to | 5 ft. | 10.00 | |
| 5 | to | 6 ft. | 14.00 | |
| 6 | to | 7 ft. | 18.00 | |
| 7 | to | 8 ft. | 25.00 | |
| I. Stokes | | | | |
| 9 | to | 12 in. | \$ 2.00 | |
| 12 | to | 15 in. | 3.00 | |
| KALMIA latifolia (Mountain Laurel) | | | | |
| 18 | to | 24 in. | \$ 3.50 | \$ 3.00 |
| 2 | to | 2½ ft. | 4.00 | |
| 2½ | to | 3 ft. | 5.50 | |
| 3 | to | 3½ ft. | 7.50 | |
| LAUROCERASUS schipkaensis (Cherry Laurel) | | | | |
| 2 | to | 2½ ft. | \$ 5.00 | |
| 2½ | to | 3 ft. | 6.50 | |
| LEUCOTHOE catesbaei (Drooping Leucothoe) | | | | |
| 12 | to | 15 in. | \$ 2.50 | |
| 15 | to | 18 in. | 3.00 | |
| 18 | to | 24 in. | 3.50 | |
| LIGISTRUM Suwannee River (B&B) (Plant Patent No. 1402) | | | | |
| Container grown (1 gallon) .. | | | \$ 2.80 | |
| 12 | to | 18 in. | 3.70 | |
| 18 | to | 24 in. | 5.20 | |
| MAHONIA aquifolia (Oregon Hollygrape) | | | | |
| 15 | to | 18 in. | \$ 2.50 | \$ 2.20 |
| 18 | to | 24 in. | 3.00 | 2.70 |
| 2 | to | 2½ ft. | 4.00 | |
| 2½ | to | 3 ft. | 5.00 | |
| 3 | to | 4 ft. | 7.00 | |
| PACHYSANDRA terminalis (Japanese Pachysandra) | | | | |
| Medium pot grown, per 100.. | | | \$12.00 | |
| Heavy pot grown, per 100.... | | | 15.00 | |
| PIERIS floribunda (Mountain Andromeda) | | | | |
| 15 | to | 18 in. | \$ 3.50 | |
| 18 | to | 24 in. | 4.50 | |
| P. Japonica (Japanese Andromeda) | | | | |
| 15 | to | 18 in. | \$ 3.50 | \$ 3.00 |
| 18 | to | 24 in. | 4.50 | 4.00 |
| Heavy plants | | | 5.50 | |

| | 1 to 4 | 5 to 24 |
|--|--------|---------|
| | Each | Each |

RHODODENDRON carolinianum
(Carolina Rhododendron)

| | | | | |
|----|-------|----------|---------|------|
| 15 | to 18 | in. | \$ 3.50 | |
| 18 | to 24 | in. | 4.50 | 4.00 |
| 2 | to 2½ | ft. | 6.00 | |
| 2½ | to 3 | ft. | 7.50 | |

R. catawbiense (Catawba Rhododendron)

| | | | | |
|----|-------|----------|---------|---------|
| 15 | to 18 | in. | \$ 3.50 | \$ 3.00 |
| 18 | to 24 | in. | 4.00 | 3.50 |
| 2 | to 2½ | ft. | 5.00 | |
| 2½ | to 3 | ft. | 6.00 | |

R. maximum (Rosebay Rhododendron)

| | | | | |
|----|-------|----------|---------|---------|
| 18 | to 24 | in. | \$ 3.20 | \$ 3.00 |
| 2 | to 2½ | ft. | 4.50 | 4.00 |
| 2½ | to 3 | ft. | 5.50 | 5.00 |
| 3 | to 3½ | ft. | 6.00 | 5.50 |
| 3½ | to 4 | ft. | 7.00 | 6.50 |
| 4 | to 5 | ft. | 9.00 | 8.50 |
| 5 | to 6 | ft. | 14.00 | |
| 6 | to 7 | ft. | 20.00 | |

RHODODENDRON hybrids in variety:

| | | | | | |
|----|----|-------|----------|---------|------|
| A. | 15 | to 18 | in. | \$ 5.50 | |
| B. | 18 | to 24 | in. | 7.00 | |
| C. | 2 | to 2½ | ft. | 8.50 | 8.00 |
| D. | 2½ | to 3 | ft. | 11.00 | |
| E. | 3 | to 3½ | ft. | 13.50 | |

Varieties in sizes listed above:

| | |
|------------------------------|--------------|
| Caractacus, purplish crimson |(B) |
| Catawbiense Album, white |(B-C) |
| Dr. H. C. Dresselhuys, red |(B-C-D) |
| Dr. V. H. Rutgers, deep red |(B) |
| Edward S. Rand, scarlet |(B) |
| John Clutton, white |(C) |
| Mme. Carvalho, white |(B-C) |
| Mme. Mason, white |(B) |
| Parson's Gloriosum, rose |(B-C-D) |
| Van der Hoop, carmine rose |(B) |
| Van Weerden Poelman, crimson |(B) |

TEUCRIUM chamaedrys (Rock Garden Shrub)

| | | |
|-------------|-------------|--------|
| Field Grown |\$.80 | \$.60 |
|-------------|-------------|--------|

VINCA minor (Periwinkle)

| | |
|----------------------|--------------|
| Field grown, per 100 |\$18.00 |
| Pot grown, per 100 |30.00 |

DECIDUOUS TREES

| | | | | 1 to 4 | 5 to 24 |
|-------------------------------------------------------|----|----|-------------------|----------|---------|
| | | | | Each | Each |
| ACER ginnala (Amur Maple) | | | | | |
| 3 | to | 4 | ft. | \$ 1.20 | \$ 1.10 |
| 4 | to | 5 | ft. | 1.60 | 1.30 |
| 5 | to | 6 | ft. | 2.50 | 2.00 |
| 6 | to | 8 | ft. | 3.50 | 3.00 |
| 8 | to | 10 | ft. | 5.00 | 4.50 |
| A. jap. aureum (Goldenmoon Maple) (B&B) | | | | | |
| 8 | to | 10 | ft. | \$100.00 | |
| A. palmatum atropurpureum (Redleaf Jap, Maple) | | | | | |
| (B&B) | | | | | |
| 18 | to | 24 | in. | \$ 6.00 | |
| 2 | to | 2½ | ft. | 8.00 | |
| 2½ | to | 3 | ft. | 10.00 | |
| 3 | to | 4 | ft. | 15.00 | |
| 4 | to | 5 | ft. | 20.00 | |
| 5 | to | 6 | ft. | 40.00 | |
| 6 | to | 8 | ft. | 60.00 | |
| 8 | to | 10 | ft. | 90.00 | |
| 10 | to | 12 | ft. | 120.00 | |
| 12 | to | 14 | ft. | 150.00 | |
| 14 | to | 16 | ft. | 170.00 | |
| 16 | to | 18 | ft. | 200.00 | |
| A. pal. atropur. dissectum (Threadleaf Maple) | | | | | |
| 1½ | to | 2 | ft. | \$ 8.00 | |
| A. platanoides (Norway Maple) | | | | | |
| 1¼ | to | 1½ | in. | \$ 6.00 | |
| 1½ | to | 1¾ | in. | 8.00 | 7.50 |
| 1¾ | to | 2 | in. | 11.00 | 10.00 |
| 2 | to | 2¼ | in. | 13.00 | 12.00 |
| 2¼ | to | 2½ | in. | 16.00 | 14.00 |
| 2½ | to | 3 | in. | 18.00 | 17.00 |
| 3 | to | 3½ | in. | 26.00 | 24.00 |
| 3½ | to | 4 | in. | 30.00 | |
| 12 | to | 14 | in. ..in ground.. | 100.00 | |

| | | | 1 to 4 | 5 to 24 |
|--------------------------------------------------------|--------|---------------|---------|---------|
| | | | Each | Each |
| ACER plat argentea variegata (Variegated Maple) | | | | |
| 1¼ to | 1½ in. | | \$12.00 | |
| 1½ to | 1¾ in. | | 14.00 | |
| 1¾ to | 2 in. | | 16.00 | |
| A. plat. ascends (Pyramid Norway Maple) | | | | |
| 1¼ to | 1½ in. | | \$ 9.50 | |
| 1½ to | 1¾ in. | | 12.00 | |
| 1¾ to | 2 in. | | 15.00 | |
| 2 to | 2¼ in. | | 18.00 | |
| 2¼ to | 2½ in. | | 21.00 | |
| 4½ to | 5 in. | ..in ground.. | 50.00 | |
| A. plat. schwedleri (Schwerdler Maple) | | | | |
| 1¼ to | 1½ in. | | \$ 8.00 | \$ 7.00 |
| 1½ to | 1¾ in. | | 10.00 | 9.00 |
| 1¾ to | 2 in. | | 12.00 | 11.00 |
| 2 to | 2½ in. | | 15.00 | 14.00 |
| 2½ to | 3 in. | | 18.00 | |
| 3 to | 3½ in. | | 20.00 | |
| 3½ to | 4 in. | | 30.00 | |
| 4 to | 5 in. | | 35.00 | |
| 5 to | 6 in. | ..in ground.. | 45.00 | |
| 6 to | 7 in. | ..in ground.. | 55.00 | |
| 7 to | 8 in. | ..in ground.. | 60.00 | |
| 8 to | 9 in. | ..in ground.. | 65.00 | |
| A. plat. schwedleri Crimson King | | | | |
| (Plant Patent No. 735) | | | | |
| 7 to | 8 ft. | | \$ 9.00 | \$ 8.00 |
| 8 to | 10 ft | 1¼ to 1½ in. | 12.00 | 11.00 |
| 8 to | 10 ft. | 1½ to 1¾ in. | 16.00 | 15.00 |
| | | 1¾ to 2 in. | 19.00 | 18.00 |
| A. rubrum (Red Maple) | | | | |
| 1¼ to | 1½ in. | | \$ 6.50 | |
| 1½ to | 1¾ in. | | 8.50 | |
| 1¾ to | 2 in. | | 9.00 | 8.50 |
| 2 to | 2½ ft. | | 14.00 | 13.00 |
| 2½ to | 3 ft. | | 18.00 | 17.50 |
| 3 to | 3½ in. | | 25.00 | 24.00 |
| 3½ to | 4 in. | | 28.00 | 26.00 |
| 4 to | 5 in. | | 35.00 | |
| A. saccharum (Sugar Maple) | | | | |
| 1¼ to | 1½ in. | | \$ 6.50 | |
| 1½ to | 1¾ in. | | 8.00 | |
| 1¾ to | 2 in. | | 10.00 | 9.00 |
| 2 to | 2½ in. | | 14.00 | 13.00 |
| 2½ to | 3 in. | | 18.00 | |
| 3 to | 3½ in. | | 25.00 | |
| 3½ to | 4 in. | | 28.00 | |
| 4 to | 5 in. | ..in ground.. | 30.00 | |
| 5 to | 6 ft. | ..in ground.. | 40.00 | |
| 6 to | 7 in. | ..in ground.. | 50.00 | |

| | 1 to 4 | 5 to 24 |
|--|---------------|----------------|
| | Each | Each |

AESCULUS hippocastanum (Horsechestnut)

| | | | | | |
|----|----|----|-----|---------------|---------|
| 6 | to | 8 | ft. | | \$ 4.00 |
| 8 | to | 10 | ft. | | 4.70 |
| 1¼ | to | 1½ | in. | | 5.50 |
| 1½ | to | 1¾ | in. | | 6.50 |
| 1¾ | to | 2 | in. | | 9.00 |
| 2 | to | 2½ | in. | | 13.00 |
| 2½ | to | 3 | in. | | 17.00 |
| 3 | to | 3½ | in. | | 22.00 |
| 3½ | to | 4 | in. | | 30.00 |
| 4 | to | 5 | in. | ..in ground.. | 45.00 |
| 5 | to | 6 | in. | ..in ground.. | 55.00 |
| 6 | to | 7 | in. | ..in ground.. | 65.00 |

A. hippo. cornea (Red Horsechestnut)

| | | | | | |
|----|----|----|-----|-------|---------|
| 3 | to | 3½ | in. | | \$45.00 |
| 3½ | to | 4 | in. | | 55.00 |

ALBIZZIA julibrissin (Silk Tree) (B&B)

| | | | |
|----|-----|-------|---------|
| 1 | in. | | \$ 6.00 |
| 1¼ | in. | | 9.00 |
| 1½ | in. | | 14.00 |
| 1¾ | in. | | 17.00 |
| 2 | in. | | 20.00 |
| 2¼ | in. | | 24.00 |
| 2½ | in. | | 28.00 |

AMYGDALUS persica (Flowering Peach)

Red, Pink and White Flowering (B&B)

| | | | | | |
|---|----|----|-----|--------------|---------|
| 4 | to | 5 | ft. | | \$ 6.00 |
| 5 | to | 6 | ft. | | 7.00 |
| 6 | to | 7 | ft. | 1¼ to 1½ in. | 8.50 |
| 7 | to | 8 | ft. | 1½ to 1¾ in. | 12.00 |
| 8 | to | 10 | ft. | 1¾ to 2 in. | 15.00 |

ARALIA spinosa (Devil's Walkingstick)

| | | | | | |
|---|----|---|-----|-------|---------|
| 3 | to | 4 | ft. | | \$ 1.50 |
| 4 | to | 5 | ft. | | 2.00 |
| 5 | to | 6 | ft. | | 3.00 |

BETULA alba (European White Birch) (B&B)

| | | | | | | |
|----|----|----|-----|--------------|---------|-------|
| 4 | to | 5 | ft. | | \$ 3.50 | |
| 5 | to | 6 | ft. | | 5.50 | 5.00 |
| 6 | to | 8 | ft. | | 7.00 | 6.00 |
| 8 | to | 10 | ft. | 1 to 1¼ in. | 9.00 | 8.00 |
| 10 | to | 12 | ft. | 1¼ to 1½ in. | 12.00 | 11.00 |
| 12 | to | 14 | ft. | 1½ to 1¾ in. | 17.00 | 16.00 |

| | 1 to 4 | 5 to 24 |
|----------------------------------------------------------|---------|---------|
| | Each | Each |
| BETULA alba (White Birch) (B&B) | | |
| Clumps 2 to 3 stems | | |
| 5 to 6 ft. | \$10.00 | |
| 6 to 8 ft. | 12.00 | |
| 8 to 10 ft. | 14.00 | |
| 10 to 12 ft. | 16.00 | |
| CATALPA speciosa bungei | | |
| 4 year head | \$ 7.00 | |
| 5 year head | 8.00 | |
| C. speciosa (Western Catalpa) | | |
| 1½ to 1½ in. | \$ 2.50 | \$ 2.25 |
| 1½ to 1¾ in. | 3.50 | 3.00 |
| 1¾ to 2 in. | 5.00 | 4.50 |
| 2 to 2½ in. | 8.00 | 7.00 |
| 2½ to 3 in. | 12.00 | 10.00 |
| 3 to 3½ in. | 16.00 | 14.00 |
| 3½ to 4 in. | 20.00 | |
| 4 to 5 in. | 24.00 | |
| CERCIS canadensis (American Redbud) | | |
| 4 to 5 ft. | \$ 2.60 | \$ 2.40 |
| 5 to 6 ft. | 3.50 | 3.20 |
| B&B | | |
| 6 to 8 ft. 1½ to 1½ in. | 9.00 | |
| 8 to 10 ft. 1¾ to 2 in. | 13.00 | |
| 10 to 12 ft. 3 to 2½ in. | 17.00 | |
| CORNUS florida (White Flowering Dogwood) | | |
| 3 to 4 ft. | \$ 2.50 | \$ 2.00 |
| 4 to 5 ft. | 3.00 | 2.50 |
| 5 to 6 ft. | 4.00 | 3.50 |
| B&B | | |
| 4 to 5 ft. | 4.50 | 4.00 |
| 5 to 6 ft. | 6.00 | 5.50 |
| 5 to 6 ft. ¾ to 1 in. | 7.00 | 6.00 |
| 6 to 8 ft. 1 to 1¼ in. | 9.00 | 8.00 |
| 6 to 8 ft. 1¼ to 1½ in. | 11.00 | 10.00 |
| 8 to 10 ft. 1½ to 1¾ in. | 15.00 | 14.00 |
| 8 to 10 ft. 1¾ to 2 in. | 17.00 | 16.00 |
| 10 to 12 ft. 2 to 2½ in. | 20.00 | |
| 4 to 4½ in. ..in ground.. | 45.00 | |
| 4½ to 5 in. ..in ground.. | 50.00 | |
| 5 to 5½ in. ..in ground.. | 60.00 | |
| C. florida plena (Dbl. Wh. Fl. Dogwood) (B&B) | | |
| 6 to 8 ft. 1 to 1¼ in. | \$14.00 | |
| 6 to 8 ft. 1¼ to 1½ in. | 17.00 | |
| 8 to 10 ft. 1½ to 1¾ in. | 22.00 | |
| 8 to 10 ft. 1¾ to 2 in. | 27.00 | |
| 10 to 12 ft. 2 to 2½ in. | 32.00 | |
| 10 to 12 ft. 2½ to 3 in. | 40.00 | |
| 12 to 14 ft. 3 to 3½ in. | 50.00 | |

| | | | | 1 to 4 | 5 to 24 |
|---------------------------------------------------------------|----|----|------------------|---------|---------|
| | | | | Each | Each |
| CORNUS florida rubra (Red Fl. Dogwood) (B&B) | | | | | |
| 3 | to | 4 | ft. | \$ 6.00 | |
| 4 | to | 5 | ft. | 9.00 | |
| 5 | to | 6 | ft. | 12.00 | |
| 6 | to | 7 | ft. | 16.00 | |
| 7 | to | 8 | ft. | 20.00 | |
| C. kousa (Kousa Dogwood) (B&B) | | | | | |
| 4 | to | 5 | ft. | \$ 6.00 | \$ 5.50 |
| 5 | to | 6 | ft. | 8.00 | 7.50 |
| 6 | to | 8 | ft. 1¼ to 1½ in. | 12.00 | 10.00 |
| 8 | to | 10 | ft. 1½ to 1¾ in. | 18.00 | 17.00 |
| 10 | to | 12 | ft. 1¾ to 2 in. | 22.00 | 20.00 |
| 12 | to | 14 | ft. 2 to 2½ in. | 35.00 | 33.00 |
| CRATAEGUS cordata (Washington Thorn) (B&B) | | | | | |
| 4 | to | 5 | ft. | \$ 6.00 | \$ 5.50 |
| 5 | to | 6 | ft. | 8.50 | 8.00 |
| 6 | to | 8 | ft. 1¼ to 1½ in. | 12.00 | 11.00 |
| 8 | to | 10 | ft. 1½ to 2 in. | 15.00 | 14.00 |
| 10 | to | 12 | ft. 2 to 2¼ in. | 19.00 | 18.00 |
| C. grusgalli (Cockspur Thorn) (B&B) | | | | | |
| 4 | to | 5 | ft. | \$ 7.00 | \$ 6.50 |
| 5 | to | 6 | ft. | 9.50 | 9.00 |
| 6 | to | 8 | ft. 1½ to 1¾ in. | 14.00 | 13.00 |
| 8 | to | 10 | ft. 2 to 2¼ in. | 18.00 | |
| C. oxycantha pauli (Paul's Scarlet Hawthorn) (B&B) | | | | | |
| 5 | to | 6 | ft. | \$ 8.00 | |
| 6 | to | 7 | ft. | 9.00 | 8.50 |
| 7 | to | 8 | ft. 1¼ to 1½ in. | 11.00 | 10.00 |
| 8 | to | 10 | ft. 1½ to 1¾ in. | 15.00 | |
| FAGUS syl. asplenifolia (Fernleaf Beech) (B&B) | | | | | |
| 3 | to | 4 | ft. | \$15.00 | |
| 4 | to | 5 | ft. | 20.00 | |
| 5 | to | 6 | ft. | 25.00 | |
| 6 | to | 8 | ft. | 35.00 | |
| 8 | to | 10 | ft. | 45.00 | |
| 10 | to | 12 | ft. | 55.00 | |
| F. syl. fastigiata (Pyramidal Eur. Beech) (B&B) | | | | | |
| 6 | to | 8 | ft. 1¾ to 2 in. | \$35.00 | |
| 8 | to | 10 | ft. 2 to 2½ in. | 45.00 | |
| 10 | to | 12 | ft. 2½ to 3 in. | 55.00 | |
| 12 | to | 14 | ft. 3 to 3½ in. | 65.00 | |
| 14 | to | 16 | ft. 3½ to 4 in. | 80.00 | |
| 16 | to | 18 | ft. 4 to 5 in. | 100.00 | |
| 18 | to | 20 | ft. 5 to 6 in. | 150.00 | |
| 18 | to | 20 | ft. 6 to 7 in. | 180.00 | |

| | |
|---------------|----------------|
| 1 to 4 | 5 to 24 |
| Each | Each |

FAGUS syl. pendula (Weeping Beech) (B&B)

| | | | | | | | | |
|----|-----|-------|-----|----|----|-------------|-----|--------|
| 14 | to | 16 | ft. | 3 | to | 3½ | in. | 100.00 |
| 16 | to | 18 | ft. | 3½ | to | 4 | in. | 120.00 |
| 4 | to | 4½ | in. | .. | in | ground.. | | 100.00 |
| 4½ | to | 5 | in. | .. | in | ground.. | | 150.00 |
| 5 | to | 6 | in. | .. | in | ground.. | | 175.00 |
| 12 | in. | | | | | in ground.. | | 300.00 |

F. syl. riversii (River's Beech) (B&B)

| | | | | | | | | |
|----|----|----|-----|-------|----|---|-----|------------------|
| 8 | to | 10 | ft. | | | | | 45.00 |
| 14 | to | 16 | ft. | 5 | to | 6 | in. | 175.00 in ground |

F. syl. rose margin (Rose margin Beech)

| | | | | | | | |
|----|----|----|-----|----|-----|-------|--------------------|
| 20 | to | 25 | ft. | 9 | in. | | \$100.00 in ground |
| 25 | to | 30 | ft. | 10 | in. | | 125.00 in ground |

FRAXIMUS americana (White Ash)

| | | | | | | |
|----|----|----|-----|-------|---------|---------|
| 1¼ | to | 1½ | in. | | \$ 4.00 | \$ 3.50 |
| 1½ | to | 1¾ | in. | | 6.00 | |
| 1¾ | to | 2 | in. | | 7.50 | 6.50 |
| 2 | to | 2½ | in. | | 9.00 | 8.00 |
| 2¾ | to | 3 | in. | | 12.00 | |
| 3 | to | 3½ | in. | | 16.00 | |
| 3½ | to | 4 | in. | | 20.00 | |
| 4 | to | 4½ | in. | | 25.00 | |

GINGKO biloba salisburia (Maidenhair Tree)

| | | | | | | |
|----|----|----|-----|-------|---------|---------|
| 1¼ | to | 1½ | in. | | \$ 8.00 | \$ 7.00 |
| 1½ | to | 1¾ | in. | | 9.00 | 8.00 |
| 1¾ | to | 2 | in. | | 11.00 | 10.00 |
| 2 | to | 2½ | in. | | 15.00 | 14.00 |
| 2½ | to | 3 | in. | | 20.00 | |
| 3 | to | 3½ | in. | | 30.00 | |
| 4 | to | 5 | in. | | 40.00 | |
| 5 | to | 6 | in. | | 50.00 | |

GLEDITSIA triacanthus (Common Honeylocust)

| | | | | | | |
|----|----|----|-----|-------|---------|---------|
| 1¼ | to | 1½ | in. | | \$ 6.00 | \$ 5.00 |
| 1½ | to | 1¾ | in. | | 7.00 | 6.00 |
| 1¾ | to | 2 | in. | | 10.00 | 9.00 |
| 2 | to | 2½ | in. | | 14.00 | 13.00 |
| 2½ | to | 3 | in. | | 16.00 | |

| | 1 to 4 | 5 to 24 |
|--|---------------|----------------|
| | Each | Each |

GORDONIA alatomaha (Franklin Tree) (B&B)

| | | | | | | |
|---|----|---|-----|-------|---------|--|
| 4 | to | 5 | ft. | | \$ 8.00 | |
| 5 | to | 6 | ft. | | 10.00 | |

GYMNOCLADUS diococea (Kentucky Coffee tree)

| | | | | | | |
|----|----|----|-----|-------|---------|--|
| 6 | to | 8 | ft. | | \$ 6.00 | |
| 8 | to | 10 | ft. | | 7.00 | |
| 1¼ | to | 1½ | in. | | 8.00 | |
| 1½ | to | 1¾ | in. | | 9.00 | |
| 1¾ | to | 2 | in. | | 12.00 | |

HALESIA tetraptera (Great Silverbell)

| | | | | | | |
|---|----|----|-----|-------|---------|------|
| 4 | to | 5 | ft. | | \$ 1.80 | |
| 5 | to | 6 | ft. | | 2.50 | 2.00 |
| 6 | to | 8 | ft. | | 5.00 | 4.50 |
| 8 | to | 10 | ft. | | 7.00 | 6.50 |

LABURNUM vossi (Voss Goldenchain) (B&B)

| | | | | | | |
|----|----|----|-----|-------|---------|---------|
| 3 | to | 4 | ft. | | \$ 4.00 | \$ 3.00 |
| 4 | to | 5 | ft. | | 5.00 | 4.00 |
| 5 | to | 6 | ft. | | 6.00 | 5.00 |
| 6 | to | 8 | ft. | | 7.50 | 7.00 |
| 8 | to | 10 | ft. | | 10.00 | 9.00 |
| 10 | to | 12 | ft. | | 14.00 | |

LARIX leptolepis (Japanese Larch)

| | | | | | | |
|---|----|---|-----|-------|---------|---------|
| 3 | to | 4 | ft. | | \$ 4.50 | \$ 4.00 |
| 4 | to | 5 | ft. | | 6.00 | 5.00 |
| 5 | to | 6 | ft. | | 8.00 | |
| 6 | to | 8 | ft. | | 12.00 | |

LIQUIDAMBAR styraciflua (Sweet Gum) (B&B)

| | | | | | | |
|----|----|----|-----|---------------|---------|---------|
| 1¼ | to | 1½ | in. | | \$ 9.00 | \$ 8.50 |
| 1½ | to | 1¾ | in. | | 10.00 | 9.50 |
| 1¾ | to | 2 | in. | | 15.00 | 14.00 |
| 2 | to | 2½ | in. | | 22.00 | 20.00 |
| 2½ | to | 3 | in. | | 32.00 | 30.00 |
| 3 | to | 3½ | in. | | 43.00 | |
| 3½ | to | 4 | in. | | 56.00 | |
| 4 | to | 5 | in. | | 75.00 | |
| 5 | to | 6 | in. | ..in ground.. | 30.00 | |
| 6 | to | 7 | in. | ..in ground.. | 40.00 | |
| 7 | to | 8 | in. | ..in ground.. | 50.00 | |
| 8 | to | 10 | in. | ..in ground.. | 90.00 | |

| | | | 1 to 4 Each | 5 to 24 Each |
|----------------------------------------------------------|--------------|---------------|----------------|-----------------|
| LIRODENDRON tulipifera (Tulip Tree) | | | | |
| 1¼ to 1½ in. | | | \$ 6.60 | \$ 5.50 |
| 1½ to 1¾ in. | | | 8.00 | 7.00 |
| 1¾ to 2 in. | | | 10.00 | 9.00 |
| 2 to 2½ in. | | | 12.00 | 11.00 |
| 2½ to 3 in. | | | 17.00 | 15.00 |
| 5 to 6 in. | | ..in ground.. | 40.00 | |
| MAGNOLIA glauca (Sweetbay) (B&B) | | | | |
| 2 to 3 ft. | |heavy.... | \$ 5.00 | |
| 5 to 6 ft. | |heavy.... | 7.00 | |
| M. soulangeana (Saucer Magnolia) (B&B) | | | | |
| 2 to 3 ft. | | | \$ 6.00 | |
| 3 to 4 ft. | | | 8.00 | |
| 4 to 5 ft. | | | 10.00 | |
| 5 to 6 ft. | | | 12.00 | |
| M. stellata (Star Magnolia) (B&B) | | | | |
| 1½ to 2 in. | | | \$ 6.00 | |
| 2 to 2½ ft. | | | 8.00 | |
| 2½ to 3 ft. | | | 9.50 | |
| 3 to 3½ ft. | | | 11.00 | |
| 3½ to 4 ft. | | | 13.00 | |
| 4 to 5 ft. | | | 17.00 | |
| MALUS almey (B&B) | | | | |
| 5 to 6 ft. | | | \$ 8.00 | |
| M. atrosanguinea (Carmine Crabapple) (B&B) | | | | |
| 5 to 6 ft. | ¾ to 1 in. | | \$ 8.00 | |
| 5 to 6 ft. | 1¼ to 1½ in. | | 9.00 | |
| 6 to 7 ft. | 1¼ to 1½ in. | | 10.00 | |
| 7 to 8 ft. | 1½ to 1¾ in. | | 14.00 | |
| 8 to 10 ft. | 1¾ to 2 in. | | 17.00 | |
| 8 to 10 ft. | 2 to 2¼ in. | | 20.00 | |
| 8 to 10 ft. | 2¼ to 2½ in. | | 24.00 | |
| 5½ to 6 ft. | | ..in ground.. | 120.00 | |
| M. eleyi (Eley Purple Crabapple) (B&) | | | | |
| 6 to 7 ft. | 1¼ to 1½ in. | | \$10.00 | |
| 7 to 8 ft. | 1½ to 1¾ in. | | 14.00 | |
| 8 to 10 ft. | 1¾ to 2 in. | | 17.00 | |
| M. floribunda (Japanese Fl. Crabapple) (B&B) | | | | |
| 5 to 6 ft. | ¾ to 1 in. | | \$ 8.00 | |
| 5 to 6 ft. | 1¼ to 1½ in. | | 10.00 | |
| 6 to 7 ft. | 1½ to 1¾ in. | | 14.00 | |
| 7 to 8 ft. | 1¾ to 2 in. | | 17.00 | |
| 2 to 2¼ in. | | | 20.75 | |
| M. hopa (Red Fl. Crabapple) (B&B) | | | | |
| 5 to 6 ft. | 1 in. | | \$ 8.00 | |
| 6 to 7 ft. | 1¼ to 1½ in. | | 10.00 | |
| 7 to 8 ft. | 1½ to 1¾ in. | | 14.00 | |
| 8 to 10 ft. | 1¾ to 2 in. | | 17.00 | |
| 2 to 2¼ in. | | | 20.75 | |
| M. scheideckeri (Scheidecker Crabapple) (B&B) | | | | |
| 5 to 6 ft. | | | \$ 9.00 | |
| 6 to 8 ft. | | | 12.00 | |

| | | | | 1 to 4 Each | 5 to 24 Each |
|-------------------------------------------------|----|----|----------|------------------------|-------------------------|
| NYSSA sylvatica (Black Tupelo) (B&B) | | | | | |
| 4 | to | 5 | ft. | \$ 5.00 | |
| 5 | to | 6 | ft. | 8.00 | 7.00 |
| 6 | to | 8 | ft. | 12.00 | 11.00 |
| 8 | to | 10 | ft. | 14.00 | 13.00 |
| 1¾ | to | 1½ | in. cal. | 15.00 | 14.00 |
| 1½ | to | 1¾ | in. cal. | 16.00 | 15.00 |
| 1¾ | to | 2 | in. cal. | 18.00 | 17.00 |
| 2 | to | 2½ | in. cal. | 24.00 | 22.00 |

| | | | | | |
|-------------------------------------------------|----|---|-----|---------|------|
| OXYDENDRON arboreum (Sourwood) (B&B) | | | | | |
| 3 | to | 4 | ft. | \$ 4.00 | |
| 4 | to | 5 | ft. | 6.00 | 5.50 |
| 5 | to | 6 | ft. | 8.00 | |
| 6 | to | 8 | ft. | 12.00 | |

| | | | | | |
|-------------------------------------------------|----|----|-----|---------|---------|
| PLATANUS acerifolium (London Plane Tree) | | | | | |
| 1½ | to | 1¾ | in. | \$ 8.00 | \$ 7.00 |
| 1¾ | to | 2 | in. | 10.00 | 9.00 |
| 2 | to | 2¼ | in. | 12.00 | 11.50 |
| 2¼ | to | 2½ | in. | 15.00 | 14.50 |
| 2½ | to | 3 | in. | 20.00 | |
| 3 | to | 3½ | in. | 25.00 | |
| 3½ | to | 4 | in. | 30.00 | |

| | | | | | |
|------------------------------------------------|----|----|-----|---------|---------|
| POPULUS nigra italica (Lombardy Poplar) | | | | | |
| 6 | to | 8 | ft. | \$ 1.50 | \$ 1.40 |
| 8 | to | 10 | ft. | 2.00 | 1.90 |
| 10 | to | 12 | ft. | 2.80 | 2.40 |

| | | | | | |
|------------------------------------------|----|----|------------------|---------|---------|
| P. carolineanum (Carolina Poplar) | | | | | |
| 6 | to | 8 | ft. | \$ 1.50 | \$ 1.40 |
| 8 | to | 9 | ft. 1 to 1¼ in. | 2.50 | 2.20 |
| 9 | to | 10 | ft. 1¼ to 1½ in. | 3.50 | 3.00 |
| 10 | to | 12 | ft. 1½ to 1¾ in. | 4.50 | 3.70 |
| 11 | to | 14 | ft. 1¾ to 2 in. | 5.50 | 4.70 |
| 12 | to | 15 | ft. 2 to 2¼ in. | 6.50 | 5.70 |
| 12 | to | 15 | ft. 2¼ to 2½ in. | 7.50 | 6.50 |
| 15 | to | 16 | ft. 2½ to 2¾ in. | 8.50 | 7.50 |
| 16 | to | 18 | ft. 2¾ to 3 in. | 9.50 | 8.50 |

| | | | | | |
|--------------------------------------------------|----|---|------------------|---------|--|
| PRUNUS kwanzan (Kwanzan Cherry) (B&B) | | | | | |
| 5 | to | 6 | ft. | \$ 8.00 | |
| 6 | to | 7 | ft. 1¼ to 1½ in. | 11.00 | |
| 7 | to | 8 | ft. 1½ to 1¾ in. | 14.00 | |
| 8 | to | 9 | ft. 1¾ to 2 in. | 17.00 | |

1 to 4
Each

5 to 24
Each

PRUNUS Newport (Purpleleaf Plum) (B&B)

| | | | | | | | |
|----|----|----|-----|-------|-----|-------|-----------|
| 5 | to | 6 | ft. | 1 | in. | | \$ 8.00 |
| 6 | to | 8 | ft. | 1¼ | to | 1½ | in. 11.00 |
| 8 | to | 10 | ft. | 1½ | to | 1¾ | in. 14.00 |
| 1¾ | to | 2 | in. | | | | 17.00 |

P. sub Beni Higan (Higan Cherry) (B&B)

| | | | | | | | |
|---|----|---|-----|----|----|----|-------------|
| 4 | to | 5 | ft. | 1 | to | 1¼ | in. \$ 8.00 |
| 5 | to | 6 | ft. | 1¼ | to | 1½ | in. 11.00 |
| 6 | to | 7 | ft. | 1½ | to | 1¾ | in. 14.00 |
| 7 | to | 8 | ft. | 1¾ | on | 2 | in. 17.00 |

P. sub. pendula (Weeping Jap. Cherry) (B&B)

| | | | | | | | | |
|----|-----|-------|-----|------|----|-----|-------|---------|
| 2 | to | 3 | yr. | head | 1½ | in. | | \$10.00 |
| | | 4 | yr. | hear | 1¾ | in. | | 12.00 |
| 2 | in. | | | | | | | 15.00 |
| 2¼ | in. | | | | | | | 18.00 |
| 2½ | in. | | | | | | | 22.00 |

QUERCUS coccinea (Scarlet Oak)

| | | | | | | |
|----|----|----|-----|-------|---------|-------|
| 1¼ | to | 1½ | in. | | \$ 8.00 | |
| 1½ | to | 1¾ | in. | | 10.00 | |
| 1½ | to | 2 | in. | | 15.00 | |
| 2 | to | 2½ | in. | | 20.00 | 18.00 |
| 2½ | to | 3 | in. | | 25.00 | 22.00 |
| 3 | to | 3½ | in. | | 30.00 | 27.00 |
| 3½ | to | 4 | in. | | 40.00 | |

Q. palustris (Pin Oak)

| | | | | | | |
|----|----|----|-----|-------|---------|---------|
| 1¾ | to | 2 | in. | | \$15.00 | \$12.00 |
| 2 | to | 2½ | in. | | 20.00 | 18.00 |
| 2½ | to | 3 | in. | | 25.00 | 22.00 |
| 3 | to | 3½ | in. | | 30.00 | 27.00 |
| 3½ | to | 4 | in. | | 40.00 | |
| 4 | to | 5 | in. | | 45.00 | |

1 to 4
Each

5 to 24
Each

QUERCUS rubra borealis maxima
(Common Red Oak)

| | | |
|--------------------------|---------|-------|
| 1¾ to 2 in. | \$12.00 | |
| 2 to 2½ in. | 20.00 | 18.00 |
| 2½ to 3 in. | 25.00 | 22.00 |
| 3 to 3½ in. | 28.00 | |
| 3½ to 4 in. | 30.00 | |
| 4 to 5 in. | 35.00 | 33.00 |
| 5 to 6 in. ..in ground.. | 25.00 | |
| 6 to 7 in. ..in ground.. | 30.00 | |
| 7 to 8 in. ..in ground.. | 35.00 | |

ROBINA Idaho Decaisneana

| | |
|--------------|---------|
| 1¼ to 1½ in. | \$ 8.00 |
| 1½ to 1¾ in. | 10.00 |
| 1¾ to 2 in. | 10.00 |
| 2 to 2¼ in. | 12.00 |
| 2¼ to 2½ in. | 14.00 |

R. Moraine (Moraine Locust)

| | |
|--------------|---------|
| 6 to 8 ft. | \$ 6.00 |
| 8 to 10 ft. | 8.00 |
| 1¼ to 1½ in. | 10.00 |
| 1½ to 1¾ in. | 12.00 |
| 1¾ to 2 in. | 14.00 |

SALIX Babylonica (Babylon Weeping Willow)

| | |
|-------------------|---------|
| 8 to 10 ft. 1¼ in | \$ 6.00 |
|-------------------|---------|

SORBUS aucuparia (European Mountain Ash)

| | | |
|---------------------------|---------|---------|
| 5 to 6 ft. | \$ 2.20 | \$ 1.90 |
| 6 to 8 ft. | 3.00 | 2.50 |
| 8 to 10 ft. | 3.50 | 3.20 |
| 9 to 10 ft. 1¼ to 1½ in. | 4.00 | 3.50 |
| 10 to 12 ft. 1½ to 1¾ in. | 5.00 | 4.50 |
| 10 to 12 ft. 1¾ to 2 in. | 7.50 | 7.00 |
| 12 to 14 ft. 2 to 2¼ in. | 12.00 | 9.00 |

TILIA cordata (Little Leaf European Linden)

| | | |
|---------------------------|---------|-------|
| 4 to 5 in. ..in ground.. | \$34.00 | |
| 5 to 6 in. ..in ground.. | 38.00 | 37.00 |
| 6 to 7 in. ..in ground.. | 40.00 | 39.00 |
| 7 to 8 in. ..in ground.. | 45.00 | 44.00 |
| 8 to 10 in. ..in ground.. | 60.00 | |

T. platyphyllos (Big Leaf European Linden)

| | | |
|--------------------------|---------|---------|
| 2½ to 3 in. | \$16.00 | \$14.00 |
| 3 to 3½ in. | 20.00 | 18.00 |
| 3½ to 4 in. | 26.00 | 24.00 |
| 4 to 5 in. ..in ground.. | 34.00 | 32.00 |
| 5 to 6 in. ..in ground.. | 38.00 | |
| 6 to 7 in. ..in ground.. | 40.00 | |

1 to 4
Each5 to 24
Each**TILIA platyphyllos pyr. (Pyramidal Linden)**

| | | | | | | |
|----|----|----|-----|---------------|---------|---------|
| 2½ | to | 3 | in. | | \$24.00 | \$22.00 |
| 3 | to | 3½ | in. | | 28.00 | 25.00 |
| 3½ | to | 4 | in. | | 36.00 | 33.00 |
| 4 | to | 5 | in. | ..in ground.. | 50.00 | |
| 5 | to | 6 | in. | ..in ground.. | 58.00 | |

ULMUS americana (American Elm)

| | | | | | | | |
|----|----|----|-------|---------------|--------|---------|-------|
| 6 | to | 8 | ft. 2 | in. | | \$ 1.70 | |
| 8 | to | 10 | ft. 3 | in. | | 2.50 | |
| 1¼ | to | 1½ | in. | | 4.20 | | 3.70 |
| 1½ | to | 1¾ | in. | | 5.00 | | 4.50 |
| 1¾ | to | 2 | in. | | 7.00 | | 6.00 |
| 2 | to | 2½ | in. | | 10.00 | | 9.00 |
| 2½ | to | 3 | in. | | 13.00 | | 12.00 |
| 3 | to | 3½ | in. | | 22.00 | | 20.00 |
| 3½ | to | 4 | in. | | 25.00 | | |
| 4 | to | 5 | in. | | 27.00 | | 25.00 |
| 5 | to | 6 | in. | | 30.00 | | |
| 6 | to | 7 | in. | ..in ground.. | 40.00 | | |
| 7 | to | 8 | in. | ..in ground.. | 50.00 | | |
| 8 | to | 9 | in. | ..in ground.. | 60.00 | | |
| 9 | to | 10 | in. | ..in ground.. | 70.00 | | |
| 10 | to | 12 | in. | ..in ground.. | 90.00 | | |
| 12 | to | 14 | in. | ..in ground.. | 110.00 | | |

U. pumila (Asiatic Elm)

| | | | | | | |
|----|----|----|-----|-------|---------|-------|
| 1¾ | to | 2 | in. | | \$ 7.00 | |
| 2 | to | 2½ | in. | | 10.00 | 9.00 |
| 2½ | to | 3 | in. | | 12.00 | 11.00 |
| 3 | to | 3½ | in. | | 16.00 | 14.00 |

| | 1 to 4 Each | 5 to 24 Each |
|-----------------------------------------------------|----------------|-----------------|
| ABELIA grandiflora (Glossy Abelia) (B&B) | | |
| 12 to 24 in. | \$ 1.20 | |
| 15 to 18 in. | 1.50 | |
| 18 to 24 in. | 2.00 | |
| 2 to 2½ ft. | 2.50 | |
| 2½ to 3 ft. | 3.00 | |
| ACANTHOPANAX pentaphyllum (Bush Aralia) | | |
| 2 to 3 ft. | \$.60 | \$.55 |
| 3 to 4 ft. | .80 | .60 |
| 4 to 5 ft. | 1.00 | |
| 5 to 6 ft. | 1.40 | |
| ARONIA arbutifolia (Red Chokeberry) | | |
| 2 to 3 ft. | \$.70 | \$.65 |
| AZALEA (Carmen) (B&B) | | |
| 18 to 24 in. | \$ 4.00 | |
| 2 to 2½ ft. | 5.00 | |
| A. Fedora (B&B) | | |
| 18 to 24 in. | \$ 4.00 | |
| 2 to 2½ ft. | 5.00 | |
| 2½ to 3 ft. | 6.50 | |
| A. kaempferi (Torch Azalea) (B&B) | | |
| 12 to 15 in. | \$ 2.70 | \$ 2.50 |
| 15 to 18 in. | 3.50 | 3.20 |
| 18 to 24 in. | 4.00 | 3.80 |
| 2 to 2½ ft. | 5.00 | |
| 2½ to 3 ft. | 6.00 | |
| 3 to 4 ft. | 8.00 | |
| 4 to 5 ft. | 10.00 | |
| 5 to 6 ft. | 15.00 | |
| A. kaempferi Louise (B&B) | | |
| 12 to 15 in. | \$ 2.70 | |
| 15 to 18 in. | 3.50 | 3.20 |
| 18 to 24 in. | 4.00 | 3.80 |
| 2 to 2½ ft. | 5.00 | |
| A. kaempferi Othello (B&B) | | |
| 12 to 15 in. | \$ 2.70 | |
| 15 to 18 in. | 3.50 | 3.20 |
| 18 to 24 in. | 4.00 | 3.80 |
| 2 to 2½ ft. | 5.00 | |
| A. macrantha (B&B) | | |
| 12 to 15 in. | \$ 2.00 | |
| 15 to 18 in. | 3.00 | |

| | | | 1 to 4 Each | 5 to 24 Each |
|--------------------------------------------------------|-------|-------|----------------|-----------------|
| AZALEA mucromulatum (Dahurian Azalea) (B&B) | | | | |
| 15 | to 18 | in. | \$ 3.00 | |
| 18 | to 24 | in. | 3.50 | |
| A. poukhanensis (Korean Azalea) (B&B) | | | | |
| 15 | to 18 | in. | \$ 3.00 | |
| 18 | to 24 | in. | 4.00 | |
| A. Yodogawa | | | | |
| 15 | to 18 | in. | \$ 3.00 | |
| 1½ | to 2 | ft. | 4.00 | |
| 2 | to 2½ | ft. | 5.00 | |
| A. pontica (named varieties below) (B&B) | | | | |
| A. | 12 | to 15 | in. | \$ 3.50 |
| B. | 15 | to 18 | in. | 4.50 4.25 |
| C. | 18 | to 24 | in. | 5.50 5.25 |
| D. | 2 | to 2½ | ft. | 6.50 6.25 |
| E. | 2½ | to 3 | ft. | 8.00 |
| F. | 3 | to 3½ | ft. | 9.50 |
| G. | 3½ | to 4 | ft. | 11.00 |
| August Megiling (C) | | | | |
| Bouquet de Flore , salmon-pink (C-D) | | | | |
| Cardinal , bright rose-red (C) | | | | |
| Coccinea speciosa , orange-red (B-C-D) | | | | |
| Daviesie , white (C-D) | | | | |
| Gloria mundi , orange-red (B-C-D) | | | | |
| Ignea novea , carmine (C-D-E-F) | | | | |
| Maria Verchaffel (D) | | | | |
| Nancy Waterer , yellow (C) | | | | |
| Narcicciflora , double sulphur yellow (C) | | | | |
| Sang de Gentbrugge , carmine (C) | | | | |
| A. mollis (named varieties below) (B&B) | | | | |
| A. | 12 | to 15 | in. | \$ 3.50 |
| B. | 15 | to 18 | in. | 4.50 4.25 |
| C. | 18 | to 24 | in. | 5.50 5.25 |
| D. | 2 | to 2½ | ft. | 6.50 6.25 |
| E. | 2½ | to 3 | ft. | 8.00 |
| F. | 3 | to 3½ | ft. | 9.50 |
| G. | 3½ | to 4 | ft. | 11.00 |
| Babeuff. orange-red (B-C) | | | | |
| Comte de Quincy , yellow (B-C-D) | | | | |
| Hugo Hardyzer , bright red (C) | | | | |
| J. C. van Tol , red (B-C-D-E) | | | | |
| Anthony Koster , deep yellow (B-C) | | | | |
| Dr. Reichenbach , salmon (B-C) | | | | |
| Hugo Koster , red (B-C) | | | | |
| Nicalaas Beets , dark yellow (C) | | | | |
| Native Varieties (B&B) | | | | |
| A. | 18 | to 24 | in. | \$ 3.20 \$ 3.00 |
| B. | 2 | to 2½ | ft. | 4.20 4.00 |
| C. | 2½ | to 3 | ft. | 5.00 |
| D. | 3 | to 4 | ft. | 6.00 |
| Arborescens , white (A) | | | | |
| Calendulacea , flame (A-B) | | | | |
| Nudiflora (A-B) | | | | |

| | 1 to 4 | 5 to 24 |
|--|--------|---------|
| | Each | Each |

BERBERIS mentoriensis (Mentor Barberry)

| | | | | |
|----|----|--------|---------|------|
| 2 | to | 2½ ft. |\$ | .90 |
| 2½ | to | 3 ft. | | 1.00 |

B. thunbergi (Japanese Barberry)

| | | Per Each | Per 10 | Per 100 |
|----|-----------|-------------|-----------|------------|
| 15 | to 18 in. |\$.50 | \$.34 | \$.27 |
| 18 | to 24 in. |50 | .40 | .30 |
| 2 | to 2½ ft. |60 | .50 | |

B. thunbergi atropurpurea

(Purpleleaf Japanese Barberry)

| | | |
|----|-----------|-------------|
| 12 | to 15 in. |\$.50 |
| 15 | to 18 in. |60 |
| 18 | to 24 in. |70 |
| 2 | to 2½ in. | 1.00 |

B. thun. pluriflora erecta (True Hedge)

| | | | |
|----|-----------|-------------|--------|
| 12 | to 15 in. |\$.50 | \$.55 |
| 15 | to 18 in. |60 | |
| 18 | to 24 in. |70 | |
| 2 | to 2½ ft. |90 | |

BUDDLEYA (Butterfly Bush)

Varieties: Du Bonnette , Ile de France

| | | |
|-----------|---------|------|
| Pot Grown |\$ | 1.20 |
|-----------|---------|------|

CARAGANA arborescens (Siberian Pea Tree)

| | | | |
|---|-----------|-------------|--------|
| 4 | to 5 ft. |\$.90 | \$.75 |
| 5 | to 6 ft. | 1.00 | .90 |
| 6 | to 8 ft. | 1.50 | 1.40 |
| 8 | to 10 ft. | 2.50 | |

CALLICARPA purpurea (Chinese Beautyberry)

| | | | |
|----|-----------|---------|-----|
| 18 | to 24 in. |\$ | .70 |
| 2 | to 3 ft. | | .95 |

CALCANTHUS floridus (Sweetshrub)

| | | | | |
|---|----------|------------|-----|--------|
| 2 | to 3 ft. |\$ | .80 | \$.70 |
| 3 | to 4 ft. | 1.00 | | .80 |

| | | | 1 to 4 Each | 5 to 24 Each |
|--------------------------------------------------------|----|--------|----------------|-----------------|
| CHIONANTHUS virginica (White Fringe) | | | | |
| 2 | to | 3 ft. | \$ 1.00 | |
| 3 | to | 4 ft. | 1.50 | 1.40 |
| 4 | to | 5 ft. | 2.50 | |
| 5 | to | 6 ft. | 3.50 | |
| 5 | to | 6 ft. | 10.00 | |
| CLETHRA alnifolia (Sweet Pepper) | | | | |
| 18 | to | 24 in. | \$.70 | \$.60 |
| 2 | to | 2½ ft. | .80 | .70 |
| 2½ | to | 3 ft. | 1.00 | .90 |
| C. alnifolia rosea | | | | |
| 18 | to | 24 in. | \$ 1.10 | \$.90 |
| 2 | to | 2½ ft. | 1.40 | 1.10 |
| CORNUS alba siberica (Coral Dogwood) | | | | |
| 18 | to | 24 in. | \$.50 | \$.40 |
| 2 | to | 3 ft. | .70 | .60 |
| 3 | to | 4 ft. | .80 | .70 |
| 4 | to | 5 ft. | 1.00 | .85 |
| C. mas (Cornelian Cherry Dogwood) (B&B) | | | | |
| 3 | to | 4 ft. | \$ 3.50 | |
| 4 | to | 5 ft. | 4.50 | |
| 5 | to | 6 ft. | 6.00 | |
| 8 | to | 10 ft. | 30.00 | |
| 10 | to | 12 ft. | 40.00 | |
| 12 | to | 14 ft. | 50.00 | |
| C. paniculata (Gray Dogwood) | | | | |
| 2 | to | 3 ft. | \$.60 | \$.55 |
| 3 | to | 4 ft. | .80 | .70 |
| 4 | to | 5 ft. | 1.00 | .90 |
| 5 | to | 6 ft. | 1.20 | 1.00 |
| COTONEASTER dielsiana (Diels Cotoneaster) | | | | |
| 18 | to | 24 in. | \$ 2.50 | |
| 2 | to | 3 ft. | 3.00 | |
| C. divaricata (Spreading Cotoneaster) (B&B) | | | | |
| 18 | to | 24 in. | \$ 2.20 | \$ 2.00 |
| 2 | to | 3 ft. | 3.00 | 2.50 |
| 3 | to | 4 ft. | 3.50 | 3.20 |
| C. foveolata (Glossy Cotoneaster) (B&B) | | | | |
| 2 | to | 2½ ft. | \$ 3.00 | \$ 2.50 |
| 2½ | to | 3 ft. | 4.00 | 3.50 |
| C. franchetti (Franchet Cotoneaster) (B&B) | | | | |
| 15 | to | 18 in. | \$ 2.00 | |
| 18 | to | 24 in. | 2.20 | |
| 2 | to | 3 ft. | 3.00 | 2.50 |
| 3 | to | 4 ft. | 4.00 | 3.50 |
| C. wilsoni (Wilson Cotoneaster) (B&B) | | | | |
| 2 | to | 2½ ft. | \$ 3.00 | \$ 2.50 |
| 2½ | to | 3 ft. | 4.00 | 3.50 |
| CYDONIA japonica (Japanese Quince) | | | | |
| 18 | to | 24 in. | \$.90 | \$ 1.00 |
| 2 | to | 3 ft. | 1.50 | |
| CYTISUS scoparius (Scotch Broom) | | | | |
| 2 | to | 2½ ft. | \$ 1.00 | |
| 2½ | to | 3 ft. | 1.20 | |
| 3 | to | 4 ft. | 1.50 | |
| DEUTZIA gracilis (Slender Deutzia) | | | | |
| 12 | to | 15 in. | \$.60 | \$.55 |
| 15 | to | 18 in. | .70 | .65 |
| 18 | to | 24 in. | .90 | .80 |

| | | | 1 to 4 Each | 5 to 24 Each |
|--------------------------------------------------------------------|-------|----------|----------------|-----------------|
| DEUTZIA lemoine (Lemoine Deutzia) | | | | |
| 18 | to 24 | in. | \$.70 | \$.60 |
| 2 | to 3 | ft. | .80 | .70 |
| 3 | to 4 | ft. | 1.00 | .80 |
| D. scarbra Pride of Rochester | | | | |
| 2 | to 3 | ft. | \$.60 | \$.55 |
| 3 | to 4 | ft. | .80 | .60 |
| 4 | to 5 | ft. | 1.00 | |
| ELLEAGNUS campanulata (Russian Olive) | | | | |
| 3 | to 4 | ft. | \$.90 | \$.85 |
| 4 | to 5 | ft. | 1.10 | .90 |
| 5 | to 6 | ft. | 1.30 | 1.10 |
| 6 | to 8 | ft. | 2.00 | 1.70 |
| E. umbellata (Autumn Eleagnus) | | | | |
| 3 | to 4 | ft. | \$ 1.10 | \$.85 |
| 4 | to 5 | ft. | 1.20 | 1.00 |
| 5 | to 6 | ft. | 1.50 | 1.30 |
| 6 | to 8 | ft. | 2.00 | 1.70 |
| ENKIANTHUS campanulata (Redvein Enkianthus) (B&B) | | | | |
| 18 | to 24 | in. | \$ 3.00 | |
| 2 | to 2½ | ft. | 3.50 | 3.00 |
| 2½ | to 3 | ft. | 4.00 | 3.50 |
| 3 | to 4 | ft. | 5.00 | 4.50 |
| 4 | to 5 | ft. | 8.00 | |
| 8 | to 10 | ft. | 50.00 | |
| 10 | to 12 | ft. | 75.00 | |
| EUONYMUS alatus (Winged Euonymus) | | | | |
| 18 | to 24 | in. | \$ 1.20 | \$ 1.00 |
| 2 | to 3 | ft. | 1.70 | 1.50 |
| 3 | to 4 | ft. | 3.00 | 2.50 |
| 4 | to 5 | ft. | 4.00 | |
| 5 | to 6 | ft. | 5.00 | |
| E. alatus compacta (Dwarf Euonymus) | | | | |
| 18 | to 24 | in. | \$ 1.50 | \$ 1.20 |
| 2 | to 2½ | ft. | 1.80 | 1.50 |
| 2½ | to 3 | ft. | 2.50 | 2.00 |
| 3 | to 3½ | ft. | 3.00 | 2.50 |
| 3½ | to 4 | ft. | 4.00 | |
| FORSYTHIA suspensa spectabilis (Showy Border Forsythia) | | | | |
| 2 | to 3 | ft. | \$.70 | .60 |
| 3 | to 4 | ft. | .80 | .70 |
| 4 | to 5 | ft. | 1.00 | .90 |
| 5 | to 6 | ft. | 1.20 | 1.10 |

| | | | | 1 to 4 | 5 to 24 |
|--------------------------------------------------|----|---|-----|--------|---------|
| | | | | Each | Each |
| HAMMAMELIS virginica (Common Witch Hazel) | | | | | |
| 2 | to | 3 | ft. | \$.80 | \$.70 |
| 3 | to | 4 | ft. | 1.00 | .90 |
| 4 | to | 5 | ft. | 1.50 | |
| 6 | to | 8 | ft. | 3.50 | |

HIBISCUS syr. (Rose-of-Sharon)

| | | | | | | |
|----|----|----|----|-----|--------|--------|
| A. | 18 | to | 24 | in. | \$.50 | \$.50 |
| B. | 2 | to | 3 | ft. | .70 | .60 |
| C. | 3 | to | 4 | ft. | .80 | .70 |
| D. | 4 | to | 5 | ft. | 1.00 | .80 |
| E. | 5 | to | 6 | ft. | 1.50 | |
| F. | 6 | to | 8 | ft. | 3.00 | |
| G. | 8 | to | 10 | ft. | 5.00 | |
| H. | 10 | to | 12 | ft. | 6.00 | |

Amplissima (G-H)
 Ardens, purple (C-D-E-F)
 Boule de feu (C-D)
 Coelestis blue (A-B-C-D-E)
 Jeanne D'Arc, white (A-B-C-D-E-F)
 Lucy, red (B-C-D-E-F)
 Meehani, variegated (A-B-C-D)
 Paeoniaeflora, white, cherry center . (B-C-D-E-F)

HYDRANGEA arborescens grandiflora (Snowhill Hydrangea)

| | | | | | |
|---|----|---|-----|--------|--------|
| 2 | to | 3 | ft. | \$.70 | \$.60 |
| 3 | to | 4 | ft. | .90 | .80 |

H. Otaksa (Blue)

| | | | | | |
|----|----|----|-----|---------|--|
| 12 | to | 15 | in. | \$ 1.20 | |
| 18 | to | 21 | in. | 2.00 | |

H. paniculata grandiflora (Peegee Hydrangea)

| | | | | | |
|---|----|---|-----|--------|--------|
| 2 | to | 3 | ft. | \$.80 | \$.70 |
| 3 | to | 4 | ft. | .90 | .80 |
| 4 | to | 5 | ft. | 1.20 | 1.00 |

ILEX serrata (Finetooth Holly)

| | | | | | |
|---|----|---|-----|---------|--------|
| 2 | to | 3 | ft. | \$ 1.00 | \$.80 |
| 3 | to | 4 | ft. | 1.50 | 1.30 |
| 4 | to | 5 | ft. | 2.00 | |
| 5 | to | 6 | ft. | 2.50 | |

I. verticillata (Common Winterberry)

| | | | | | |
|----|----|----|-----|--------|--------|
| 18 | to | 24 | in. | \$.80 | .. .70 |
| 2 | to | 3 | ft. | .90 | .80 |
| 3 | to | 4 | ft. | 1.25 | 1.10 |
| 6 | to | 8 | ft. | 4.00 | |
| 8 | to | 10 | ft. | 6.00 | |
| 10 | to | 12 | ft. | 8.00 | |

KOLKWTZIA amabilis (Beauty Bush)

| | | | | | |
|----|----|----|-----|--------|--------|
| 18 | to | 24 | in. | \$.70 | \$.60 |
| 2 | to | 3 | ft. | .80 | .70 |
| 3 | to | 4 | ft. | 1.00 | .90 |
| 4 | to | 5 | ft. | 1.20 | 1.00 |
| 5 | to | 6 | ft. | 1.50 | 1.40 |

| | 1 to 4 | 5 to 24 |
|--|--------|---------|
| | Each | Each |

LESPEDZIA bicolor (Shrub Lespedza)

| | | | | | | |
|---|----|---|-----|-------|---------|--|
| 3 | to | 4 | ft. | | \$ 1.00 | |
| 4 | to | 5 | ft. | | 1.50 | |
| 5 | to | 6 | ft. | | 2.00 | |

**LIGUSTRUM ibota regelianum
(Regal Border Privet))**

| | | | | | | |
|----|----|----|-----|-------|--------|-----|
| 18 | to | 24 | in. | | \$.50 | |
| 2 | to | 2½ | ft. | | .65 | .50 |
| 2½ | to | 3 | ft. | | .75 | .60 |
| 3 | to | 4 | ft. | | 1.00 | |

L. ovalifolium (California Privet)

| | | | | 1 to 4 | 5 to 24 | 25 up |
|----|----|----|-----|-------------|---------|--------|
| 18 | to | 24 | in. |\$.18 | \$.15 | \$.12 |
| 2 | to | 3 | ft. |20 | .18 | .16 |
| 3 | to | 4 | ft. |30 | .26 | .24 |
| 4 | to | 5 | ft. |50 | .40 | .30 |

L. ovalifolium compact clumps

| | | | | | | |
|---|----|---|-----|-------|---------|--|
| 4 | to | 5 | ft. | | \$ 2.00 | |
| 5 | to | 6 | ft. | | 3.00 | |
| 6 | to | 7 | ft. | | 5.00 | |
| 7 | to | 8 | ft. | | 6.00 | |

L. oval. aureum (Golden California Privet)

| | | | | | | |
|----|----|----|-----|-------|--------|--------|
| 15 | to | 18 | in. | | \$.80 | \$.70 |
| 18 | to | 24 | in. | | 1.00 | .90 |
| 2 | to | 3 | ft. | | 1.40 | 1.30 |

L. oval nana (Pygmy Border Privet)

| | | | | | | |
|----|----|----|-----|-------|--------|--------|
| 18 | to | 24 | in. | | \$.50 | \$.40 |
| 2 | to | 3 | ft. | | .60 | |

LONICERA fragrantissima (Winter Honeysuckle)

| | | | | | | |
|---|----|---|-----|-------|--------|-----|
| 2 | to | 3 | ft. | | \$.60 | |
| 3 | to | 4 | ft. | | .80 | .70 |
| 4 | to | 5 | ft. | | 1.00 | .84 |

L. maacki podocarpa (Late Honeysuckle)

| | | | | | | |
|---|----|---|-----|-------|---------|--------|
| 4 | to | 5 | ft. | | \$ 1.00 | \$.90 |
| 5 | to | 6 | ft. | | 1.20 | 1.00 |

L. morrowi (Morrow Honeysuckle)

| | | | | | | |
|---|----|---|-----|-------|--------|--------|
| 2 | to | 3 | ft. | | \$.60 | \$.50 |
| 3 | to | 4 | ft. | | .80 | .70 |
| 4 | to | 5 | ft. | | 1.00 | .90 |

L. ruprechtiana (Manchurian Honeysuckle)

| | | | | | | |
|---|----|---|-----|-------|--------|--------|
| 3 | to | 4 | ft. | | \$.80 | \$.70 |
| 4 | to | 5 | ft. | | 1.00 | .90 |
| 5 | to | 6 | ft. | | 1.20 | |

| | | | | 1 to 4 Each | 5 to 24 Each |
|---------------------------------------------------------|----|----|------------------|----------------|-----------------|
| LONICERA tat. rosea (PinkTatarianHoneysuckle) | | | | | |
| 2 | to | 3 | ft. | \$.60 | |
| 3 | to | 4 | ft. | .80 | .70 |
| 4 | to | 5 | ft. | 1.00 | .90 |
| MYRICA carolinensis (Northern Bayberry) (B&B) | | | | | |
| 15 | to | 18 | in. | \$ 2.00 | \$ 1.50 |
| 18 | to | 24 | in. | 2.50 | 2.00 |
| 2 | to | 2½ | ft. | 3.50 | |
| 2½ | to | 3 | ft. | 4.50 | |
| PHILADELPHUS avalanche (Mockorange Avalanche) | | | | | |
| 18 | to | 24 | in. | \$.60 | \$.50 |
| 2 | to | 3 | ft. | .70 | .60 |
| 3 | to | 4 | ft. | .90 | .80 |
| P. coronarius (Sweet Mockorange) | | | | | |
| 3 | to | 4 | ft. | \$.80 | \$.70 |
| 4 | to | 5 | ft. | 1.00 | .80 |
| 5 | to | 6 | ft. | 1.20 | .90 |
| 6 | to | 8 | ft. | 2.20 | 2.00 |
| P. grandiflora (Big Scentless Mockorange) | | | | | |
| 3 | to | 4 | ft. | \$.80 | \$.70 |
| 4 | to | 5 | ft. | 1.00 | .80 |
| 5 | to | 6 | ft. | 1.20 | .90 |
| P. lemoine (Lemoine Mockorange) | | | | | |
| 2 | to | 3 | ft. | \$.80 | \$.70 |
| 3 | to | 4 | ft. | 1.00 | .90 |
| P. virginalis (Virginal Mockorange) | | | | | |
| 2 | to | 3 | ft. | \$.70 | \$.60 |
| 3 | to | 4 | ft. | 1.00 | .80 |
| 4 | to | 5 | ft. | 1.20 | 1.00 |
| PHOTINIA villosa (Christmas Berry) | | | | | |
| 2 | to | 3 | ft. | \$.70 | \$.60 |
| 3 | to | 4 | ft. | 1.00 | .90 |
| 4 | to | 5 | ft. | 1.50 | 1.20 |
| 5 | to | 6 | ft. | 2.00 | 1.80 |
| 6 | to | 8 | ft. | 3.00 | 2.70 |
| 12 | to | 14 | ft. ...heavy.... | 12.00 | |

| | | | 1 to 4 Each | 5 to 24 Each |
|-----------------------------------------------------|----|--------|----------------|-----------------|
| PRUNUS glandulosa (Pink Flowering Almond) | | | | |
| 2 | to | 3 ft. | \$ 1.80 | \$ 1.50 |
| 3 | to | 4 ft. | 2.00 | |
| P. glandulosa alba (Double White Fl. Almond) | | | | |
| 2 | to | 3 ft. | \$ 1.80 | \$ 1.50 |
| 3 | to | 4 ft. | 2.00 | |
| P. maritima (Beach Plum) | | | | |
| 2 | to | 3 ft. | \$.80 | \$.70 |
| 3 | to | 4 ft. | 1.00 | .90 |
| 4 | to | 5 ft. | 1.20 | 1.00 |
| RHODOTYPOS kerriodes (Jetbead) | | | | |
| 18 | to | 24 in. | \$.70 | \$.60 |
| 2 | to | 3 ft. | .80 | .70 |
| 3 | to | 4 ft. | 1.00 | .90 |
| 4 | to | 5 ft. | 1.30 | |
| RHUS cotinus (Common Smoketree) | | | | |
| 2 | to | 3 ft. | \$ 1.20 | |
| 3 | to | 4 ft. | 1.50 | |
| ROSA rugosa (Rugosa Rose) | | | | |
| 12 | to | 18 in. | \$.55 | \$.45 |
| 18 | to | 24 in. | .65 | .55 |
| SALIX purpurea nana (Dwarf Arctic Willow) | | | | |
| 12 | to | 18 in. | \$.60 | \$.50 |
| 18 | to | 24 in. | .70 | .60 |
| 2 | to | 2½ ft. | 1.00 | .80 |
| SPIREA Anthony Waterer (Dwarf Pink Spirea) | | | | |
| 15 | to | 18 in. | \$.60 | \$.55 |
| 18 | to | 24 in. | .75 | .65 |
| 2 | to | 2½ ft. | .90 | .80 |
| 2½ | to | 3 ft. | 1.00 | .90 |
| S. thunbergi (White Flowering Spirea) | | | | |
| 18 | to | 24 in. | \$.60 | \$.50 |
| 2 | to | 3 ft. | .70 | .60 |
| 3 | to | 4 ft. | .90 | .80 |
| S. trichocarpa (Korean Spirea) | | | | |
| 5 | to | 6 ft. | \$ 1.30 | |
| 6 | to | 7 ft. | 1.50 | |
| S. VanHouttei (White Flowering Spirea) | | | | |
| 18 | to | 24 in. | \$.60 | |
| 2 | to | 3 ft. | .80 | .70 |
| 3 | to | 4 ft. | .90 | .80 |
| STEPHANANDRA flexuosa (Cutleaf Stephanandra) | | | | |
| 18 | to | 24 in. | \$.60 | |
| 2 | to | 3 ft. | .70 | .60 |
| 3 | to | 4 ft. | .80 | .70 |

| | | | | 1 to 4 | 5 to 24 |
|---------------------------------------------------|----|----|------------------|---------|---------|
| | | | | Each | Each |
| SYMPHORICARPOS chenaulti | | | | | |
| (Chenault Coralberry) | | | | | |
| 18 | to | 24 | in. | \$.50 | |
| 2 | to | 3 | ft. | .70 | |
| S. racemosus (Snowberry) | | | | | |
| 18 | to | 24 | in. | \$.50 | |
| 2 | to | 3 | ft. | .70 | |
| S. vulgaris (Indian Currant Coralberry) | | | | | |
| 18 | to | 24 | in. | \$.50 | |
| 2 | to | 3 | ft. | .70 | .60 |
| SYRINGA chinensis (Purple Chinese Lilac) | | | | | |
| 2 | to | 3 | ft. | \$ 1.50 | |
| 3 | to | 4 | ft. | 2.00 | 1.80 |
| 4 | to | 5 | ft. | 3.50 | |
| 5 | to | 6 | ft. | 4.50 | |
| 6 | to | 8 | ft. ...heavy.... | 7.50 | |
| S. persica (Persian Lilac) | | | | | |
| 2 | to | 3 | ft. | \$ 1.50 | |
| 3 | to | 4 | ft. | 2.00 | 1.80 |
| 4 | to | 5 | ft. | 2.50 | 2.20 |
| S. villosa (Late Lilac) | | | | | |
| 2 | to | 3 | ft. | \$.70 | \$.60 |
| 3 | to | 4 | ft. | 1.00 | .80 |
| 4 | to | 5 | ft. | 1.50 | |
| S. vulgaris (Common Purple Lilac) | | | | | |
| 18 | to | 24 | in. | \$ 1.00 | \$.90 |
| 2 | to | 3 | ft. | 1.70 | 1.50 |
| 3 | to | 4 | ft. | 2.20 | 2.00 |
| 4 | to | 5 | ft. | 3.00 | 2.80 |
| S. vulgaris alba (Common White Lilac) | | | | | |
| 18 | to | 24 | in. | \$ 1.00 | \$.90 |
| 2 | to | 3 | ft. | 1.70 | 1.50 |
| 3 | to | 4 | ft. | 2.20 | |
| S. Hybrid in varieties listed on next page | | | | | |
| B. | 18 | to | 24 in. | \$ 2.00 | 1.80 |
| C. | 2 | to | 3 ft. | 2.50 | 2.00 |
| D. | 3 | to | 4 ft. | 3.00 | 2.70 |
| E. | 4 | to | 5 ft. | 3.70 | 3.50 |
| F. | 5 | to | 6 ft. | 5.00 | 4.50 |
| G. | 6 | to | 7 ft. | 6.50 | 6.00 |
| H. | 7 | to | 8 ft. | 7.50 | 7.00 |

HYBRID FRENCH LILACS

| | |
|-------------------------------------------|-------------|
| Belle de Nancy, double rose | (C-D) |
| Chas. Joly, purplish red | (B-C-D) |
| Chas. X, single reddish mauve | (C-D) |
| Katherine Havermeyer, double mauve .. | (B-C-D) |
| Mme. Flo. Stepman, white | (C-D) |
| Mme. Lemoine, double white | (B-C-D) |
| Mme. Legrave, single white | (B-C-D-E) |
| Miss E. Wilmot, double white | (D) |
| Pres. Grevy, double soft blue | (B-C-D-E-F) |
| Rubra insignia, red | (B-C) |
| R. von Horstenstein, single red purple .. | (B-C) |
| Souv. de Ludwig Spaeth, purple red .. | (B-C-D-E) |

| | |
|--------|---------|
| 1 to 4 | 5 to 24 |
| Each | Each |

TAMARIX africana (African Tamarix)

| | | |
|-----------------|--------|--------|
| 2 to 3 ft. | \$.80 | \$.60 |
| 3 to 4 ft. | .90 | .70 |
| 4 to 5 ft. | 1.10 | .90 |
| 5 to 6 ft. | 1.30 | 1.10 |

T. Odessana (Pale pink, summer flowering)

| | | |
|-----------------|--------|--------|
| 2 to 3 ft. | \$.80 | \$.60 |
| 3 to 4 ft. | .90 | .70 |
| 4 to 5 ft. | 1.10 | .90 |

VACCINIUM corymbosum (Highbush Blueberry)

B&B

| | | |
|-----------------|---------|---------|
| 2 to 3 ft. | \$ 3.50 | \$ 3.00 |
| 3 to 4 ft. | 5.60 | 5.00 |
| 4 to 5 ft. | 7.50 | 7.00 |
| 5 to 6 ft. | 9.50 | |

VIBURNUM americanum

(American Cranberry Bush)

| | | |
|-------------------|--------|------|
| 18 to 24 in. | \$.70 | |
| 2 to 3 ft. | .90 | .70 |
| 3 to 4 ft. | 1.10 | .90 |
| 4 to 5 ft. | 1.20 | 1.00 |

V. carlesi (Mayflower Viburnum) (B&B)

| | | |
|-------------------|---------|--|
| 15 to 18 in. | \$ 2.50 | |
| 18 to 24 in. | 3.00 | |
| 2 to 2½ ft. | 3.50 | |

V. dentatum (Arrowwood Viburnum)

| | | |
|-----------------|--------|--------|
| 2 to 3 ft. | \$.80 | \$.60 |
| 3 to 4 ft. | .90 | .70 |
| 4 to 5 ft. | 1.10 | .90 |
| 5 to 6 ft. | 3.00 | |

| | | | | 1 to 4 Each | 5 to 24 Each |
|------------------------------------------------------------|----|----|-----|----------------|-----------------|
| VIBURNUM dilatatum (Linden Viburnum) | | | | | |
| 2 | to | 3 | ft. | \$.90 | \$.75 |
| 3 | to | 4 | ft. | 1.20 | 1.00 |
| V. lantana (Wayfaring Tree) | | | | | |
| 2 | to | 3 | ft. | \$.90 | \$.70 |
| 3 | to | 4 | ft. | 1.00 | .80 |
| 4 | to | 5 | ft. | 1.20 | 1.00 |
| 5 | to | 6 | ft. | 1.80 | |
| V. lentago (Nannyberry) | | | | | |
| 2 | to | 3 | ft. | \$ 1.00 | \$.80 |
| 3 | to | 4 | ft. | 1.20 | 1.00 |
| 4 | to | 5 | ft. | 1.40 | 1.20 |
| 5 | to | 6 | ft. | 1.80 | 1.40 |
| V. opulus (European Cranberry Bush) | | | | | |
| 2 | to | 3 | ft. | \$ 1.00 | \$.80 |
| 3 | to | 4 | ft. | 1.20 | 1.00 |
| 4 | to | 5 | ft. | 1.40 | |
| V. opulus sterile (Common Snowball) | | | | | |
| 2 | to | 3 | ft. | \$ 1.00 | |
| 3 | to | 4 | ft. | 1.50 | |
| V. rhytidophyllum (Leather-leaf Viburnum) (B&B) | | | | | |
| 2 | to | 2½ | ft. | \$ 3.70 | |
| 2½ | to | 3 | ft. | 5.00 | |
| 3 | to | 4 | ft. | 6.00 | |
| V. sieboldii (Siebold Viburnum) | | | | | |
| 2 | to | 3 | ft. | \$ 1.00 | \$.80 |
| V. tomentosum (Doublefile Viburnum) | | | | | |
| 2 | to | 3 | ft. | \$ 1.00 | \$.90 |
| 3 | to | 4 | ft. | 1.20 | 1.00 |
| V. tomentosum plicatum (Japanese Snowball) | | | | | |
| 18 | to | 24 | in. | \$ 1.00 | |
| 2 | to | 3 | ft. | 1.20 | |
| WEIGELIA Bristol Ruby (Plant Patent No. 492) | | | | | |
| 3 | to | 4 | ft. | \$ 1.10 | \$.90 |
| 4 | to | 5 | ft. | 1.40 | 1.20 |
| W. candida (White Weigelia) | | | | | |
| 2 | to | 3 | ft. | \$.70 | \$.60 |
| 3 | to | 4 | ft. | 1.00 | .80 |
| 4 | to | 5 | ft. | 1.20 | 1.00 |
| W. Eva Rathke | | | | | |
| 18 | to | 24 | in. | \$.60 | |
| 2 | to | 3 | ft. | .80 | |

| | | | 1 to 4 Each | 5 to 24 Each |
|--------------------------------------------|----|-------------|----------------|-----------------|
| WEIGELIA newport (Newport Weigelia) | | | | |
| 2 | to | 3 ft. | \$ 1.00 | \$.80 |
| 3 | to | 4 ft. | 1.20 | 1.00 |
| 4 | to | 5 ft. | 1.40 | 1.20 |
| W. rosea (Old Fashioned Weigelia) | | | | |
| 2 | to | 3 ft. | \$.80 | \$.60 |
| 3 | to | 4 ft. | .90 | .70 |
| 4 | to | 5 ft. | 1.20 | 1.00 |
| W. Vaniceki (Vanick's Red Weigelia) | | | | |
| 18 | to | 24 in. | \$.70 | |
| 2 | to | 3 ft. | .90 | .70 |
| 3 | to | 4 ft. | 1.10 | .90 |
| 4 | to | 5 ft. | 1.40 | 1.20 |

VINES

AMPELOPSIS veitchi (Boston Ivy)

2 yr. Pot Grown, 3½ in. pots\$.60 each

A. quinquefolia (Virginia Creeper)

Pots\$ 1.20 each

ARISTOLOCHIA sipho (Dutchman's Pipe)

Pots\$ 1.40 each

BIGNONIA radicans (Trumpet Vine)

Pots\$ 1.20 each

CELASTRUS scandens (Bittersweet)

Strong Plants\$ 1.20 each

CLEMATIS Jackmani (Light Blue)

2 yr. Pot Grown\$ 1.20 each

C. paniculata (Small White Flowers)

2 yr. Pot Grown\$ 1.20 each

LONICERA heckrotti (Golden-flameHoneysuckle)

2 yr. Pot Grown\$ 1.20 each

L. japonica halliana (Hall's Honeysuckle))

Pot Grown\$.50 each

L. sempervirens (Trumpet Honeysuckle)

Pots\$ 1.20 each

POLYGONUM auberti (Silver Lace Vine)

Pots\$ 1.20 each

WISTERIA (Blue and White Varieties)

Pots\$ 1.20 each

ROSES

All our roses are sold in large paper pots. These plants are in foliage and ready to bloom this year.

| | Potted |
|---------------------------------------|---------------|
| | Price |
| HYBRID TEA ROSES | Each |
| Betty Uprichard, two-toned pink | \$1.20 |
| Christopher Stone, red | 1.20 |
| Countess Vandal, two-toned pink | 1.20 |
| Girona, bi-color | 1.20 |
| Mme. Jules Bouche, white | 1.20 |
| McGredy's Ivory, white | 1.20 |
| Nigger Boy, dark red | 1.20 |
| Picture, pink | 1.20 |
| Poinsettia, red | 1.20 |
| President Hover, bi-color | 1.20 |
| Red Talisman, red | 1.20 |
| Sister Therese, yellow | 1.20 |
| Sterling, pink | 1.20 |
| Talisman, multi-color | 1.20 |

Patented Varieties:

| | |
|-----------------------------------------|------|
| Burnaby (No. 1314), light yellow | 2.00 |
| Chrysler Imperial (No. 1167), red | 2.50 |
| Heart's Desire (No. 501), red | 2.00 |
| Peace (No. 591), yellow and pink | 2.00 |
| Rex Anderson (No. 355), white | 2.00 |
| The Duke (No. 1522), pink | 2.00 |

CLIMBING ROSES

| | |
|------------------------------|------|
| Blaze, flaming scarlet | 1.25 |
| Doubloons, yellow | 1.25 |

Patented Varieties:

| | |
|----------------------------------------|------|
| King Midas (No. 586), yellow | 2.50 |
| Peace (No. 932), yellow and pink | 2.50 |

FLORIBUNDA ROSES

| | |
|-----------------------------------------|------|
| Baby Gloria Mundi, orange scarlet | 1.25 |
| Baby Orange Triumph, bi-orange | 1.25 |
| Improved Lafayette, red | 1.25 |
| Red Ripples, red | 1.25 |

Patented Varieties:

| | |
|------------------------------------------|------|
| Amy (No. 1455), pink | 2.00 |
| Goldilocks (No. 672), yellow | 2.00 |
| Ma Perkins (No. 1143), salmon pink | 2.00 |
| World's Fair (No. 362), red | 1.75 |

FRUIT DEPARTMENT

APPLES

| | | |
|---------------|-------------------------------|--------|
| 2 year..... | 5 to 7 ft. | \$2.00 |
| 3 year..... | 5 to 7 ft. | 2.50 |
| 4 year..... | 6 to 7 ft. 1 in. cal. | 3.00 |
| 5 year..... | 6 to 8 ft. 1½ in. cal. | 4.00 |
| 6 year..... | 7 to 8 ft. 1½ in. cal. | 5.00 |
| | 1¾ in. cal. | 6.00 |
| 7 to 8 year | 8 to 10 ft. 2 in. cal. | 7.00 |
| | 2¼ in. cal. | 8.00 |
| 8 to 10 year | 10 to 12 ft. 2½ in. cal. | 10.00 |
| | 2¾ in. cal. | 12.00 |
| | 3 in. cal. | 15.00 |
| 10 to 12 year | 10 to 15 ft. 3¾ in. cal. | 18.00 |
| | 4 in. cal. | 21.00 |
| | 4½ in. cal. | 24.00 |
| 12 to 25 year | 12 to 18 ft. 5 in. cal. | 28.00 |

STANDARD VARIETIES

BALDWIN—

Large, red, crisp, juicy December

BLAXTAYMAN—

A new variety December

CORTLAND—

Bright, red, large Oct. to Feb.

DBL. RED DELICIOUS—

Solid red November

EARLY McINTOSH—

Solid red, white flesh August

GOLDEN DELICIOUS—

Yellow, crisp, juicy October

GOLDEN RUSSET—

Yellow, medium to large October

JONATHAN—

Dark red, medium size November

LODI—

Large yellow fruit August

MACOUN—

Dark red, late McIntosh type November

McINTOSH—

Solid red, flesh white October-November

MILTON—

Full red, McIntosh type September

NORTHERN SPY—

Large bright red, striped November

RED ASTRACHAN—

Deep crimson, tart July-August

R. I. GREENING—

Large, greenish yellow December

ROME BEAUTY—

Red and yellow, striped December

STARKLING—

Striped red December

STAYMAN'S WINESAP—

Dull red November-March

YORK IMPERIAL—

Medium, light red October

SNOW—

Bright red, flesh white .. September-October

WEALTHY—

Pale yellow, juicy August

YELLOW TRANSPARENT—

Dark red September

CRAB APPLES

DOLGA—

Bright red September

DWARF APPLES

| | | | |
|---------------|-------------------------|-----------------|-------|
| 2 to 3 year . | $\frac{3}{4}$ in. cal. | 2 to 4 ft. | 3.50 |
| 4 year | 1 in. cal. | 3 to 6 ft. | 4.00 |
| 5 year | $1\frac{1}{4}$ in. cal. | 4 to 6 ft. | 5.50 |
| 6 year | $1\frac{1}{2}$ in. cal. | 4 to 6 ft. | 7.00 |
| 7 year | $1\frac{3}{4}$ in. cal. | 5 to 7 ft. | 8.50 |
| 7 year | 2 in. cal. | | 10.00 |

BALDWIN—

Large, bright red December-March

McINTOSH—

Solid red, flesh white, juicy Oct.-Nov.

RED ASTRACHAN—

Deep crimson, tart July-August

RED DELICIOUS—

Dark red, excellent eating November

ROME BEAUTY—

Yellow, red striped December-May

STAYMAN'S WINESAP—

Dull red, slightly striped November

YELLOW DELICIOUS—

Golden yellow, crisp, juicy October

APPLES—FIVE on one

2 year\$ 2.00 3 year\$ 3.00

APRICOTS

| | | | |
|----------------|------------|------------------------------|---------|
| 2 to 3 year .. | 5 to 6 ft. | $\frac{3}{4}$ in. cal. | \$ 2.70 |
| 4 year | 5 to 6 ft. | 1 in. cal. | 3.50 |
| 5 year | 5 to 6 ft. | $1\frac{1}{4}$ in. cal. | 4.50 |
| 6 year | 5 to 6 ft. | $1\frac{1}{2}$ in. cal. | 5.50 |
| 7 year | 5 to 6 ft. | $1\frac{3}{4}$ in. cal. | 6.50 |
| 8 year | 5 to 6 ft. | 2 in. cal. | 8.00 |

MOORPARK—

Yellow with red cheek August

CHERRIES

| | | | |
|----------------|------------|-------------------------|---------|
| 2 to 3 year .. | 5 to 6 ft. | $\frac{3}{4}$ in. cal. | \$ 2.50 |
| 4 year | 5 to 6 ft. | 1 in. cal. | 3.50 |
| 5 year | 6 to 7 ft. | $1\frac{1}{4}$ in. cal. | 4.50 |
| 6 year | 7 to 8 ft. | $1\frac{1}{2}$ in. cal. | 5.50 |
| 7 year | 7 to 8 ft. | $1\frac{3}{4}$ in. cal. | 6.50 |

SWEET VARIETIES**WINDSOR—**

Large red July

YELLOW SPANISH—

Pale yellow with red cheek June

SOUR VARIETIES**EARLY RICHMOND—**

Medium red Late June

PEARS

| | | | |
|----------------|------------|-------------------------|---------|
| 2 to 3 year .. | 5 to 6 ft. | | \$ 2.50 |
| 3 year heavy | 5 to 6 ft. | $\frac{3}{4}$ in. cal. | 3.00 |
| 4 year | 5 to 7 ft. | 1 in. cal. | 4.00 |
| 5 to 6 year .. | 6 to 7 ft. | $1\frac{1}{4}$ in. cal. | 5.00 |
| 6 to 7 year .. | 7 to 8 ft. | $1\frac{1}{2}$ in. cal. | 6.00 |
| 6 to 7 year .. | 7 to 8 ft. | $1\frac{3}{4}$ in. cal. | 7.00 |
| 7 to 8 year .. | 7 to 8 ft. | 2 in. cal. | 8.00 |
| 7 to 8 year .. | 7 to 8 ft. | $2\frac{1}{4}$ in. cal. | 10.00 |
| 8 to 9 year .. | 7 to 8 ft. | $2\frac{1}{2}$ in. cal. | 12.00 |

STANDARD PEARS**BARTLETT—**

Large, yellow with red cheek Sept.-Oct.

BUERRE BOSC—

Long russet Oct.-Jan.

BUERRE ANJOU—

Yellow-red Oct.-Jan.

GORHAM—

Improved Bartlett September

KIEFFER—

Large, sweet Nov.-Feb.

SECKEL—

Small, sweet Sept.-Oct.

SHELDON—

Round, yellow, sweet October

DWARF PEARS

| | | | |
|--------------------|------------|-------|---------|
| 2 to 3 years | 2 to 4 ft. | | \$ 3.50 |
| 4 years | 2 to 4 ft. | | 4.50 |
| 5 years | 3 to 5 ft. | | 5.50 |

BARTLETT—

Large, yellow with red cheek Sept.-Oct.

BUERRE BOSC —

Long russet Oct.-Jan.

CLAPP'S FAVORITE—

Large, light yellow Aug.-Sept.

SECKEL—

Small, yellow brown Sept.-Oct.

PEACHES

| | | |
|---------|-------------|---------|
| 2 years | 5 to 6 ft. | \$ 1.80 |
| 3 years | 6 to 8 ft. | 2.40 |
| 4 years | 6 to 8 ft. | 3.00 |
| 6 years | 8 to 10 ft. | 4.00 |

BELLE OF GEORGIA—

Large, productive September

ELBERTA—

Large, firm September

GOLDEN JUBILEE—

Large and firm August

HALEHAVEN—

Self-fertile August

J. H. HALE—

Semi-fertile August

PLUMS

| | | |
|--------|-------------------------------------|---------|
| 2 year | 4 to 5 ft. | \$ 2.10 |
| 3 year | 5 to 6 ft. $\frac{3}{4}$ in. cal. | 2.50 |
| 4 year | 5 to 6 ft. 1 in. cal. | 3.50 |
| 5 year | 7 to 8 ft. $1\frac{1}{4}$ in. cal. | 4.50 |
| 6 year | 8 to 9 ft. $1\frac{1}{2}$ in. cal. | 5.50 |
| 7 year | 8 to 12 ft. $1\frac{3}{4}$ in. cal. | 6.50 |
| 8 year | 8 to 12 ft. 2 in. cal. | 7.50 |

ABUNDANCE—

Bright red, flesh yellow August

GERMAN PRUNE—

Dark purple September

GREEN GAGE—

Large, pale yellow September

ITALIAN PRUNE—

Dark purple September

REINE CLAUDE—

Large, yellow and red September

STANLEY PRUNE—

Large, dark blue September

QUINCES

| | | |
|--------------|-------------------------|---------|
| 2 year | 3 to 4 ft. | \$ 2.50 |
| 3 year | 3 to 4 ft. | 3.50 |
| 5 to 6 years | $1\frac{1}{2}$ in. cal. | 6.00 |
| 6 to 7 years | $1\frac{3}{4}$ in. cal. | 7.00 |
| 7 to 8 years | 2 in. cal. | 8.00 |
| 8 to 9 years | $2\frac{3}{4}$ in. cal. | 10.00 |

CHAMPION—

Large September

ORANGE—

Yellow, excellent for cooking September

SMALL FRUITS AND BERRIES

ASPARAGUS

2 year plants 25 for \$ 1.50 100 for \$ 5.00
Mary Washington—Strong grower. tender stalk.

BLUEBERRIES

18 to 24 inches\$ 2.00 each
2 to 2½ foot 3.00 each
Concord—Large, fine flavor.
Jersey—Large, ripens mid-season.
Rancocas—Mid-season.
Rubel—Tall, vigorous, hardy, late variety.
Stanley—Large, perfumed, highest quality.

GRAPES

Medium plants \$.55 each 10 for \$ 5.00
Blue Fredonia—Large, black, early Sept.
Concord—Large, blue-black Sept.
Delaware—Red, small and sweet Sept.
Niagara—White, extra large Sept.

— M E M O —
